

# Safety Data Sheet

According to Regulation (EC) No 1907/2006

### Cif Professional Oven & Grill Cleaner

Revision: 2021-11-14

Version: 01.2

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### **1.1 Product identifier**

**Trade name:** Cif Professional Oven & Grill Cleaner Cif is a registered trade mark and is used under licence of Unilever

UFI: 1DYF-G009-900Q-PWER

### 1.2 Relevant identified uses of the substance or mixture and uses advised against Product use: Oven/Grill cleaner.

Uses advised against:

Uses other than those identified are not recommended.

SWED - Sector-specific worker exposure description : AISE\_SWED\_PW\_10\_1 AISE\_SWED\_PW\_11\_1 AISE\_SWED\_PW\_19\_1 PC35-Washing and cleaning products

**1.3 Details of the supplier of the safety data sheet** Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

### **Contact details**

Diversey Ltd Weston Favell Centre, Northampton NN3 8PD, United Kingdom Tel: 01604 405311, Fax: 01604 406809 Regulatory Email: customerservice.uk@diversey.com

### 1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible) For medical or environmental emergency only: call 0800 052 0185

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Not classified as hazardous

### 2.2 Label elements

**Precautionary statements:** P102 - Keep out of reach of children.

### 2.3 Other hazards

No other hazards known.

### SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
(2-methoxymethylethoxy)propanol	252-104-2	34590-94-8	01-2119450011-60	Not classified as hazardous		3-10
2-aminoethanol	205-483-3	141-43-5	01-2119486455-28	Skin Corr. 1B (H314) Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332) STOT SE 3 (H335) Eye Dam. 1 (H318) Aquatic Chronic 3 (H412)		1-3

#### Specific concentration limits

2-aminoethanol: • STOT SE 3 (H335) >= 5%

Workplace exposure limit(s), if available, are listed in subsection 8.1. ATE, if available, are listed in section 11. For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

### SECTION 4: First aid measures

4.1 Description of first aid measures	
Inhalation:	Get medical attention or advice if you feel unwell.
Skin contact:	Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention.
Eye contact:	Rinse cautiously with water for several minutes. If irritation occurs and persists, get medical attention.
Ingestion:	Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.
Self-protection of first aider:	Consider personal protective equipment as indicated in subsection 8.2.
4.2 Most important symptoms and ef	fects, both acute and delayed

	····, ································
Inhalation:	No known effects or symptoms in normal use.
Skin contact:	No known effects or symptoms in normal use.
Eye contact:	No known effects or symptoms in normal use.
Ingestion:	No known effects or symptoms in normal use.

## **4.3 Indication of any immediate medical attention and special treatment needed** No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

### SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

### 5.2 Special hazards arising from the substance or mixture

No special hazards known.

#### 5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

### SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

No special measures required.

### 6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

#### 6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

#### 6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

### Measures to prevent fire and explosions:

No special precautions required.

### Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

#### Advices on general occupational hygiene:

Follow general hygiene considerations recognised as common good workplace practices. Keep away from food, drink and animal feeding stuffs. Keep out of reach of children. Do not mix with other products unless adviced by Diversey. Wash hands thoroughly after handling.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Keep only in original packaging. Keep out of reach of children. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

### 7.3 Specific end use(s)

No specific advice for end use available.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Ingredient(s)	UK - Long term value(s)	UK - Short term value(s)
(2-methoxymethylethoxy)propanol	50 ppm 308 mg/m <sup>3</sup>	150 ppm 924 mg/m³
2-aminoethanol	1 ppm 2.5 mg/m³	3 ppm 7.6 mg/m <sup>3</sup>

Biological limit values, if available:

### Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

### DNEL/DMEL and PNEC values

#### Human exposure DNEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
(2-methoxymethylethoxy)propanol	-	-	-	36
2-aminoethanol	-	-	-	3.75

DNEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
(2-methoxymethylethoxy)propanol	No data available	-	No data available	283
2-aminoethanol	No data available	-	No data available	1

#### DNEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
(2-methoxymethylethoxy)propanol	No data available	-	No data available	15
2-aminoethanol	No data available	-	No data available	0.24

DNEL inhalatory exposure - Worker (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
(2-methoxymethylethoxy)propanol	-	-	-	308
2-aminoethanol	-	-	3.3	-

DNEL inhalatory exposure - Consumer (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
(2-methoxymethylethoxy)propanol	-	-	-	37.2
2-aminoethanol	-	-	2	-

#### Environmental exposure Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
(2-methoxymethylethoxy)propanol	19	1.9	190	4168
2-aminoethanol	0.085	0.0085	0.025	100

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m³)
(2-methoxymethylethoxy)propanol	70.2	7.02	2.74	190
2-aminoethanol	0.434	0.0434	0.035	-

#### 8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

# Appropriate engineering controls:Provide a good standard of general ventilation. Ensure that foam equipment does not generate<br/>respirable particles.Appropriate organisational controls:Users are advised to consider national Occupational Exposure Limits or other equivalent values, if<br/>available. No special requirements under normal use conditions.

### REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific	LCS	PROC	Duration	ERC
	worker exposure			(min)	
	description				
PC35-Washing and cleaning products	PC35-Washing and	С	-	-	ERC8a
	cleaning products				
Manual application by brushing, wiping or mopping	AISE_SWED_PW_10_1	PW	PROC 10	480	ERC8a
Foam spraying	AISE_SWED_PW_11_1	PW	PROC 11	60	ERC8a
Manual application	AISE_SWED_PW_19_1	PW	PROC 19	480	ERC8a

splashes may occur when handling the product (EN 166).

No special requirements under normal use conditions. No special requirements under normal use conditions.

Personal protective equipment Eye / face protection:

Hand protection: Body protection: Respiratory protection:

Environmental exposure controls:

No special requirements under normal use conditions.

### SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties Information in this section refers to the product, unless it is specifically stated that substance data is listed

Physical state: Liquid Colour: Clear, Light, Brown Odour: Product specific Odour threshold: Not applicable Melting point/freezing point (°C): Not determined Initial boiling point and boiling range (°C): Not determined Method / remark

Safety glasses are not normally required. However, their use is recommended in those cases where

Trigger spray bottle application: No special requirements under normal use conditions. Apply

technical measures to comply with the occupational exposure limits, if available

Not relevant to classification of this product See substance data

Substance data, boiling point

Ingredient(s)	Value	Method	Atmospheric pressure
	(°C)		(hPa)
(2-methoxymethylethoxy)propanol	189.6	Method not given	1013
2-aminoethanol	169-171	Method not given	1013

Flammability (solid, gas): Not applicable to liquids
Flammability (liquid): Not flammable.
Flash point (°C): Not applicable.
Sustained combustion: Not applicable. (UN Manual of Tests and Criteria, section 32, L.2)
Lower and upper explosion limit/flammability limit (%): Not determined

See substance data

Method / remark

Method / remark

Substance data, flammability or explosive limits, if available:

Ingredient(s)	Lower limit (% vol)	Upper limit (% vol)
(2-methoxymethylethoxy)propanol	1.1	14
2-aminoethanol	3.4	27

Autoignition temperature: Not determined Decomposition temperature: Not applicable.

# pH: ≈ 11 (neat) Kinematic viscosity: ≈ 20 mPa.s (20 °C) Solubility in / Miscibility with Water: Fully miscible

ISO 4316

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
(2-methoxymethylethoxy)propanol	Soluble	Method not given	20
2-aminoethanol	1000	Method not given	20

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

### Vapour pressure: Not determined

### Method / remark

See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
(2-methoxymethylethoxy)propanol	5500	Method not given	20
2-aminoethanol	50	Method not given	20

Relative density: ≈ 1.01 (20 °C) Relative vapour density: No data available. Particle characteristics: No data available.

9.2 Other information
9.2.1 Information with regard to physical hazard classes
Explosive properties: Not explosive.
Oxidising properties: Not oxidising.
Corrosion to metals: Not corrosive

### Method / remark

OECD 109 (EU A.3) Not relevant to classification of this product Not applicable to liquids.

Weight of evidence

9.2.2 Other safety characteristics

No other relevant information available.

### SECTION 10: Stability and reactivity

### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

### 10.2 Chemical stability

Stable under normal storage and use conditions.

### 10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

#### 10.4 Conditions to avoid

None known under normal storage and use conditions.

#### 10.5 Incompatible materials

None known under normal use conditions.

#### 10.6 Hazardous decomposition products

None known under normal storage and use conditions.

### SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Mixture data:.

#### Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000 ATE - Dermal (mg/kg): >2000 ATE - Inhalatory, vapours (mg/l): >20

Skin irritation and corrosivityResult: Not corrosive or irritantSpecies: Not applicableEye irritation and corrosivity

Method: Weight of evidence

### Result: Not corrosive or irritant Species: Not applicable.

Substance data, where relevant and available, are listed below:.

### Method: Weight of evidence

#### Acute toxicity Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
(2-methoxymethylethoxy)propanol	LD 50	> 5000	Rat	OECD 401 (EU B.1)		Not established
2-aminoethanol	LD 50	1089	Rat	OECD 401 (EU B.1)		38000

#### Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
(2-methoxymethylethoxy)propanol	LD 50	9510	Rabbit	Method not given		Not established
2-aminoethanol	LD 50	2504	Rabbit	Method not given		190000

### Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
(2-methoxymethylethoxy)propanol	LC o	> 1.667 (vapour) No mortality observed	Rat		7
2-aminoethanol	LC 50	> 1.4 No mortality observed	Rat	Method not given	4

### Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust	ATE - inhalation, mist	ATE - inhalation,	ATE - inhalation, gas
	(mg/l)	(mg/l)	vapour (mg/l)	(mg/l)
(2-methoxymethylethoxy)propanol	Not established	Not established	Not established	Not established
2-aminoethanol	Not established	Not established	580	Not established

#### Irritation and corrosivity Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
(2-methoxymethylethoxy)propanol	Not irritant		Method not given	
2-aminoethanol	Corrosive	Rabbit	OECD 404 (EU B.4)	

#### Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
(2-methoxymethylethoxy)propanol	Not corrosive or		Method not given	
	irritant			
2-aminoethanol	Severe damage	Rabbit	OECD 405 (EU B.5)	

### Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
(2-methoxymethylethoxy)propanol	No data available			
2-aminoethanol	Irritating to		Method not given	
	respiratory tract			

### Sensitisation

Sensitisation by skin contact							
	Ingredient(s)	Result	Species	Method	Exposure time (h)		
	(2-methoxymethylethoxy)propanol	Not sensitising		Method not given			
	2-aminoethanol	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT			

### Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
(2-methoxymethylethoxy)propanol	No data available			
2-aminoethanol	No data available			

# CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) <u>Mutagenicity</u>

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
	No evidence for mutagenicity, negative test results	Method not given	No data available	

### **Cif Professional Oven & Grill Cleaner**

2-aminoethanol	No evidence for mutagenicity, negative	OECD 471 (EU	No evidence for mutagenicity, negative	OECD 474 (EU
t	test results	B.12/13) OECD	test results	B.12)
		473 OECD 476		
		(Mouse		
		lymphoma)		

Carcinogenicity

Ingredient(s)	Effect		
(2-methoxymethylethoxy)propanol	No evidence for carcinogenicity, negative test results		
2-aminoethanol	No evidence for carcinogenicity, weight-of-evidence		

### Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value	Species	Method	Exposure	Remarks and other effects
			(mg/kg bw/d)			time	reported
(2-methoxymethylethox			No data				No evidence for reproductive
y)propanol			available				toxicity
2-aminoethanol	NOAEL	Developmental toxicity	> 75	Rabbit	OECD 414	6 - 15 day(s)	No evidence for developmental
					(EU B.31),		toxicity No evidence for
					oral		reproductive toxicity

# Repeated dose toxicity Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
(2-methoxymethylethoxy)propanol		No data				
		available				
2-aminoethanol	NOAEL	300	Rat		75	

#### Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
(2-methoxymethylethoxy)propanol		No data available				
2-aminoethanol		No data available				

### Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
		(ilig/kg bw/d)			unne (uays)	anecteu
(2-methoxymethylethoxy)propanol		No data				
		available				
2-aminoethanol		No data				
		available				

### Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
(2-methoxymethylethox y)propanol			No data available					
2-aminoethanol			No data available					

#### STOT-single exposure

Ingredient(s)	Affected organ(s)
(2-methoxymethylethoxy)propanol	No data available
2-aminoethanol	Respiratory tract

### STOT-repeated exposure

Ingredient(s)	Affected organ(s)
(2-methoxymethylethoxy)propanol	No data available
2-aminoethanol	No data available

### Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

### Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

### 11.2 Information on other hazards

**11.2.1 Endocrine disrupting properties** Endocrine disrupting properties - Human data, if available:

### 11.2.2 Other information

No other relevant information available.

### **SECTION 12: Ecological information**

### 12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

### Aquatic short-term toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
(2-methoxymethylethoxy)propanol	LC 50	> 1000	Poecilia reticulata	Method not given	96
2-aminoethanol	LC 50	349	Cyprinus carpio	OECD 203 (EU C.1)	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
(2-methoxymethylethoxy)propanol	EC 50	1919	Daphnia magna Straus	Method not given	48
2-aminoethanol	EC 50	65	Daphnia magna Straus	OECD 202, static	48

Aquatic short-term toxicity - algae	
-------------------------------------	--

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
(2-methoxymethylethoxy)propanol	EC 50	> 969	Selenastrum capricornutum	Method not given	72
2-aminoethanol	EC 50	22		OECD 201 (EU C.3)	72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
(2-methoxymethylethoxy)propanol		No data			
		available			
2-aminoethanol		No data			
		available			

Impact on sewage plants - toxicity to bacteria					
Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
(2-methoxymethylethoxy)propanol	EC 10	4168	Pseudomonas putida	Method not given	
2-aminoethanol	EC 50	> 1000	Activated sludge	DIN EN ISO 8192-OECD 209-88/302/EEC	3 hour(s)

#### Aquatic long-term toxicity Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
(2-methoxymethylethoxy)propanol		No data				
		available				
2-aminoethanol	NOEC	1.2	Oryzias latipes	OECD 210	30 day(s)	

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
(2-methoxymethylethoxy)propanol	NOEC	> 0.5	Daphnia	Method not	22 day(s)	
			magna	given		
2-aminoethanol	NOEC	0.85	Daphnia	OECD 202	21 day(s)	
			magna			

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
(2-methoxymethylethoxy)propanol		No data available				

2-aminoethanol	No data		
	available		

### **Terrestrial toxicity**

Terrestrial toxicity - soil invertebrates, including earthworms, if available:	bil invertebrates, including earthworms, if available:
--	--

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
2-aminoethanol		No data				
		available				

Terrestrial toxicity - plants, if available:

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
2-aminoethanol		No data available				

### Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
2-aminoethanol		No data				
		available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
2-aminoethanol		No data available				

### 12.2 Persistence and degradability

Abiotic degradation Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
(2-methoxymethylethoxy)propanol	< 1 day(s)	Method not given	Rapidly photodegradable	

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation Ready biodegradability - aerobic conditions					
Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
(2-methoxymethylethoxy)propanol		Oxygen depletion	75 % in 28 day(s)	OECD 301F	Readily biodegradable
2-aminoethanol		DOC reduction	> 90 % in 21 day(s)	OECD 301A	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

# **12.3 Bioaccumulative potential** Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
(2-methoxymethylethoxy)propanol	1.01	Method not given	Low potential for bioaccumulation	
2-aminoethanol	- 1.91	OECD 107	No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
(2-methoxymethylethox	No data available				
y)propanol					
2-aminoethanol	No data available				

### 12.4 Mobility in soil

Adsorption/Desorption to soil or sediment					
Ingredient(s)	Adsorption	Desorption	Method	Soil/sediment	Evaluation

### Cif Professional Oven & Grill Cleaner

	coefficient Log Koc	coefficient Log Koc(des)		type	
(2-methoxymethylethoxy)propanol	No data available				High potential for mobility in soil
2-aminoethanol	0.067		Model calculation		Potential for mobility in soil, soluble in water Adsorption to solid soil phase is not expected

#### 12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

#### 12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

#### 12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal co	nsiderations
13.1 Waste treatment methods	
Waste from residues / unused products:	The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.
European Waste Catalogue:	20 01 30 - detergents other than those mentioned in 20 01 29.
Empty packaging Recommendation: Suitable cleaning agents:	Dispose of observing national or local regulations. Water, if necessary with cleaning agent.

### **SECTION 14: Transport information**

Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number: Non-dangerous goods

14.2 UN proper shipping name: Non-dangerous goods

14.3 Transport hazard class(es): Non-dangerous goods

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods

14.6 Special precautions for user: Non-dangerous goods

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Non-dangerous goods

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

### EU regulations:

• Regulation (EC) No. 1907/2006 - REACH

Regulation (EC) No 1272/2008 - CLP

• Regulation (EC) No. 648/2004 - Detergents regulation

• substances identified as having endocrine disrupting properties in accordance with the criteria set out in Delegated Regulation (EU) 2017/2100 or Regulation (EU) 2018/605

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)

International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

## Ingredients according to EC Detergents Regulation 648/2004 non-ionic surfactants

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Seveso - Classification: Not classified

### 15.2 Chemical safety assessment

< 5 %

A chemical safety assessment has not been carried out on the mixture

### SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS1004233

Version: 01.2

Revision: 2021-11-14

#### Reason for revision:

This data sheet contains changes from the previous version in section(s):, 1, 8, 16, Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006

#### **Classification procedure**

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

### Full text of the H and EUH phrases mentioned in section 3:

- H302 Harmful if swallowed.
  H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H318 Causes serious eye damage.
- H332 Harmful if inhaled. · H335 - May cause respiratory irritation.
- H412 Harmful to aquatic life with long lasting effects.

### Abbreviations and acronyms:

- · AISE The international Association for Soaps, Detergents and Maintenance Products
- ATE Acute Toxicity Estimate
- DNEL Derived No Effect Limit
- EC50 effective concentration, 50%
- ERC Environmental release categories • EUH - CLP Specific hazard statement
- LC50 Lethal Concentration, 50% / Median Lethal Concentration
- LCS Life cycle stage
   LD50 Lethal Dose, 50% / Median Lethal dose
- NOAEL No observed adverse effect level
- NOEL No observed effect level
- OECD Organization for Economic Cooperation and Development
- PBT Persistent, Bioaccumulative and Toxic
- PNEC Predicted No Effect Concentration
   PROC Process categories
- REACH number REACH registration number, without supplier specific part
- vPvB very Persistent and very Bioaccumulative

End of Safety Data Sheet