

Safety Data Sheet

According to Regulation (EC) No 1907/2006

Comfort Professional Pure Concentrate

Revision: 2020-01-26 **Version:** 08.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Comfort Professional Pure Concentrate

Comfort is a registered trade mark and is used under licence of Unilever

1.2 Relevant identified uses of the substance or mixture and uses advised against Identified uses:

AISE-P105 - Conditioner (softener/starch). Semi-automatic process

AISE-C3 - Fabric conditioners (liquid regular, liquid concentrate) for consumer use Uses advised against: Uses other than those identified are not recommended

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

Contact details

Diversey Ltd

Weston Favell Centre, Northampton NN3 8PD, United Kingdom

Tel: 01604 405311, Fax: 01604 406809

Regulatory Email: customerservice.uk@diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)

For medical or environmental emergency only:

call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Not classified as hazardous

2.2 Label elements

Contains 1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione (DMDM Hydantoin)

Hazard statements:

EUH208 - May produce an allergic reaction.

Precautionary statements:

P102 - Keep out of reach of children.

Further indications on the label:

Contains: preservative.

2.3 Other hazards

No other hazards known. The product does not meet the criteria for PBT or vPvB in accordance with Regulation (EC) No 1907/2006, Annex XIII

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	295-344-3	91995-81-2	-	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)		3-10
propan-2-ol	200-661-7	67-63-0	01-2119457558-25	Flam. Liq. 2 (H225) STOT SE 3 (H336) Eye Irrit. 2 (H319)		0.1-1

Workplace exposure limit(s), if available, are listed in subsection 8.1.

[6] Exempted: biocidal active. See Article 15a of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation: Get medical attention or advice if you feel unwell.

Skin contact: Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice

or attention.

Eye contact: Rinse cautiously with water for several minutes. If irritation occurs and persists, get medical

attention.

Ingestion: Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious

person. Get medical attention or advice if you feel unwell.

Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation:No known effects or symptoms in normal use.Skin contact:No known effects or symptoms in normal use.Eye contact:No known effects or symptoms in normal use.Ingestion:No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

No special measures required.

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Follow general hygiene considerations recognised as common good workplace practices. Keep away from food, drink and animal feeding stuffs. Keep out of reach of children. Do not mix with other products unless adviced by Diversey. Wash hands thoroughly after handling. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. Keep out of reach of children.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

Air limit values, if available:

Ingredient(s)	UK - Long term value(s)	UK - Short term value(s)
propan-2-ol	400 ppm	500 ppm
1	999 mg/m ³	1250 mg/m ³

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and **PNEC** values

Human exposure

DNEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
fatty acids, C10-20 and C16-18-unsatd., reaction products with	No data available	No data available	No data available	No data available
triethanolamine, di-Me sulfate-quaternized				
propan-2-ol	-	-	-	26

DNEL dermal exposure - Worker Short term - Local Short term - Systemic Long term - Local Long term - Systemic Ingredient(s) effects effects (mg/kg bw) effects effects (mg/kg bw) fatty acids, C10-20 and C16-18-unsatd., reaction products with No data available No data available No data available No data available triethanolamine, di-Me sulfate-quaternized propan-2-ol No data available No data available 888

DNEL dermal exposure - Consumer Short term - Local Short term - Systemic Long term - Local Long term - Systemic Ingredient(s) effects (mg/kg bw) effects effects (mg/kg bw) effects fatty acids, C10-20 and C16-18-unsatd., reaction products with No data available No data available No data available No data available triethanolamine, di-Me sulfate-quaternized No data available 319 propan-2-ol

DNEL inhalatory exposure - Worker (mg/m³) Short term - Systemic Short term - Local Long term - Local Long term - Systemic Ingredient(s) effects effects effects effects fatty acids, C10-20 and C16-18-unsatd., reaction products with No data available No data available No data available No data available triethanolamine, di-Me sulfate-quaternized 500 propan-2-ol

DNEL inhalatory exposure - Consumer (mg/m³) Long term - Systemic Ingredient(s) Short term - Local Short term - Systemic Long term - Local effects effects effects effects No data available No data available No data available No data available fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized 89 propan-2-ol

Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	No data available	No data available	No data available	No data available
propan-2-ol	140.9	140.9	140.9	2251

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m³)
fatty acids, C10-20 and C16-18-unsatd., reaction products with	No data available	No data available	No data available	No data available
triethanolamine, di-Me sulfate-quaternized				
propan-2-ol	552	552	28	-

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Covering activities such as filling and transfer of product to application equipment, flasks or buckets

Appropriate engineering controls: No special requirements under normal use conditions.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment

Eye / face protection: Safety glasses are not normally required. However, their use is recommended in those cases

where splashes may occur when handling the product (EN 166).

Hand protection:No special requirements under normal use conditions.Body protection:No special requirements under normal use conditions.Respiratory protection:No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (%): 0.7

Appropriate engineering controls: No special requirements under normal use conditions. Appropriate organisational controls: No special requirements under normal use conditions.

Personal protective equipment

Eye / face protection:No special requirements under normal use conditions.Hand protection:No special requirements under normal use conditions.Body protection:No special requirements under normal use conditions.Respiratory protection:No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical State: Liquid
Colour: Opaque, White
Odour: Slightly perfumed
Odour threshold: Not applicable

pH ≈ 3 (neat) ISO 4316

Dilution pH: > 11

Melting point/freezing point (°C): Not determined Not relevant to classification of this product

Initial boiling point and boiling range (°C): Not determined See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me	No data available		
sulfate-quaternized			
propan-2-ol	82	Method not given	1013

Method / remark

Flammability (liquid): Not flammable.
Flash point (°C): not determined
Sustained combustion: Not applicable.
(UN Manual of Tests and Criteria, section 32, L.2)

Evaporation rate: Not determined Not relevant to classification of this product

Flammability (solid, gas): Not applicable to liquids

Upper/lower flammability limit (%): Not determined See substance data

Substance data, flammability or explosive limits, if available:

Ingredient(s)	Lower limit (% vol)	Upper limit (% vol)
propan-2-ol	2	13

Method / remark

Vapour pressure: Not determined See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me	No data available		
sulfate-quaternized			
propan-2-ol	4200	Method not given	20

Method / remark

Not relevant to classification of this product

OECD 109 (EU A.3)

Solubility in / Miscibility with Water: Fully miscible

Substance data, solubility in water

Vapour density: Not determined

Relative density: ≈ 1.00 (20 °C)

Substance data, solubility in water			
Ingredient(s)	Value (g/l)	Method	Temperature (°C)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-guaternized	No data available		

Method not given propan-2-ol Soluble

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark

Autoignition temperature: 99

Decomposition temperature: Not applicable.

Viscosity: ≈ 35 mPa.s (20 °C) Explosive properties: Not explosive. Oxidising properties: Not oxidising.

DM-006 Viscosity - Standard

9.2 Other information

Surface tension (N/m): Not determined **OECD 115** Weight of evidence Corrosion to metals: Not corrosive

Substance data, dissociation constant, if available:

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

Reacts with alkali.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data:.

Skin irritation and corrosivity

Result: Not corrosive or irritant Method: Weight of evidence

Eye irritation and corrosivity Result: Not corrosive or irritant

Substance data, where relevant and available, are listed below:.

Acute toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine,	LD 50	> 5000	Rat	Method not given	
di-Me sulfate-quaternized					
propan-2-ol	LD 50	3570	Rat	Method not given	

Acute dermal toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure
		(mg/kg)			time (h)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine,		No data			
di-Me sulfate-quaternized		available			1
propan-2-ol	LD 50	> 2000	Rabbit	Method not given	

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolam	ine,	No data			
di-Me sulfate-quaternized		available			
propan-2-ol	LC 50	> 25 (vapour)	Rat	OECD 403 (EU B.2)	6

Irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine,	No data available			
di-Me sulfate-quaternized				

				Comro	rt P	rotessi	onal Pur	e Concent	rate					
	pro	pan-2-ol					Not	tirritant	Rab	bit	OECD 404	(EU B.4)		
Eye irritation and corrosive					_		1 5	16	l c	:	Math	1	l	
atty acids, C10-20 and 0	C16-18-unsa	redient(s) td., reaction ate-quatern		s with tr	etha			esult a available	Species		Method		EX	posure time
	pro	pan-2-ol					Ir	ritant	Rab	bit	OECD 405	(EU B.5)		
Respiratory tract irritation					_		_		-		1		_	
atty acids, C10-20 and 0		redient(s) td reaction	product	s with tr	etha	nolamine		esult a available	Spec	ies	Metho	od	Ex	posure time
	di-Me sulf	ate-quatern						7.11						
	pro	pan-2-ol					No dat	a available						
Sensitisation Sensitisation by skin con	tact													
	Ingr	redient(s)		141 4				esult	Spec	ies	Metho	od	Exp	sure time (h
atty acids, C10-20 and 0		itd., reactior ate-quatern		s with tr	etha	nolamine	, No dat	a available						
	pro	pan-2-ol					Not s	ensitising	Guine	a pig	OECD 406 (Buehler			
Sensitisation by inhalatio								16		•••	Madh	!	l	
atty acids, C10-20 and 0		redient(s) td., reaction	product	s with tr	etha	nolamine		esult a available	Spec	ies	Metho	ou	EX	posure time
		ate-quatern pan-2-ol	ized				No dat	a available						
CMR effects (carcing	ogenicity,	mutageni	city and	d toxic	ity f	or repro	duction)	<u> </u>		1			
Mutagenicity Ingredi	ient(s)			Res	ult (ii	n-vitro)		Metho			Result (in-vi	vo)		Method
fatty acids, C10-20 a	and C16-18-ı	unsatd.,	No data	availabl	e			(in-vitro		data a	vailable			(in-vivo)
reaction products with sulfate-qu	triethanolam													
propai	n-2-ol		test res		vide		negative notoxicity			eviden results	ce of genotoxions	city, negati	ve	OECD 474 (E B.12)
Carcinogenicity			negative	7 1031 101	Juito			1						
fatty acids, C10-20 and		redient(s)	n produc	to with t	riotha	nolomin	Effect	a available						
latty acids, C10-20 and	di-Me sul	fate-quateri	nized	is willi t	iletilia	anoiamin	e, INO dat	a avaliable						
	pr	opan-2-ol					No evi	dence for ca	rcinogeni	city, ne	egative test res	ults		
Ingredient(s)	Endpoint	S	pecific	effect			lue j bw/d)	Species	Metho	od	Exposure time	Remarks	and	other effects
fatty acids, C10-20 and						No	data						_	
C16-18-unsatd., reaction products with triethanolamine, di-Me						avai	lable							
sulfate-quaternized	<u> </u>					No	data							
propan-2-ol							data lable							
Repeated dose toxic														
Sub-acute or sub-chronic Ing	c oral toxicity gredient(s)			Endpo	int	Val		Species	Me	thod	Exposure			ts and orgar
fatty acids, C10-20 a	nd C16-18-u	ınsatd read	ction			(mg/kg No d					time (days))	affe	cted
products with triethanola	mine, di-Me					availa	able							
pr	opan-2-ol					No d availa								
Sub-chronic dermal toxic	ity													
Ing	gredient(s)			Endpo	int	Val (mg/kg		Species	Me	thod	Exposure time (days)			ts and orgar
fatty acids, C10-20 a						No d	lata				time (days)		anc	cieu
products with triethanola pr	mine, di-Me opan-2-ol	sultate-qua	ternized			availa No d			+			+		
	·					availa								
Sub-chronic inhalation to	xicity gredient(s)			Endpo	int	Val	ue	Species	Me	thod	Exposure	Specific	effec	ts and orgar
	, , ,	.,			•	(mg/kg	bw/d)	2000	0		time (days)		affe	
fatty acids, C10-20 a products with triethanola						No d availa								
	opan-2-ol					No d	lata							
Chronic toxicity						availa	aule							
Ingredient(s)	Exposure route	Endpoint		alue g bw/d)	Sp	ecies	Method	Exposu	re S		effects and		Rei	mark
fatty acids, C10-20 and C16-18-unsatd.,	Jule		No	data ilable				unie		J. yan	o uncoteu			
reaction products with			ava											

triethanolamine, di-Me sulfate-quaternized					
propan-2-ol		No data available			

STOT-single exposure

	Ingredient(s)	Affected organ(s)
fatty acids, C10-20 and C16	6-18-unsatd., reaction products with triethanolamine,	No data available
	di-Me sulfate-quaternized	
	propan-2-ol	Central nervous system

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine,	No data available
di-Me sulfate-quaternized	
propan-2-ol	Central nervous system

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine,		No data			
di-Me sulfate-quaternized		available			
propan-2-ol	LC 50	> 100	Pimephales	Method not given	48
			promelas		

Aquatic short-term toxicity - crustacea

Ingredient(s)		Value (mg/l)	Species	Method	Exposure time (h)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized		No data available			
propan-2-ol	EC 50	> 100	Daphnia magna Straus	Method not given	48

Aquatic short-term toxicity - algae

Ingredient(s)		Value (mg/l)	Species	Method	Exposure time (h)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized		No data available			
propan-2-ol	EC 50	> 100	Scenedesmus	Method not given	72

Aquatic short-term toxicity - marine species

	Aquatic short term toxicity manne species					
Ingredient(s)		Endpoint	Value	Species	Method	Exposure
			(mg/l)			time (days)
	fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine,		No data			
	di-Me sulfate-quaternized		available			
	propan-2-ol		No data			-
			available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized		No data available			
propan-2-ol	EC 50	> 1000	Activated sludge	Method not given	

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Aquatic long-term toxicity - rish						
Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
		(mg/l)			time	
fatty acids, C10-20 and C16-18-unsatd., reaction		No data				
products with triethanolamine, di-Me sulfate-quaternized		available				
propan-2-ol		No data				
·		available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
fatty acids, C10-20 and C16-18-unsatd., reaction		No data				

products with triethanolamine, di-Me sulfate-quaternize	d	available				
propan-2-ol		No data				
		available				
quatic toxicity to other aquatic benthic organisms, inclu	uding sediment	t-dwelling organi	sms, if availab	ole:		
Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
fatty acids, C10-20 and C16-18-unsatd., reaction roducts with triethanolamine, di-Me sulfate-quaternize	d	No data available				
propan-2-ol		No data available			-	
errestrial toxicity				<u> </u>	•	
errestrial toxicity - soil invertebrates, including earthwo			0	M . d . 1	1 1	- ((()
Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
propan-2-ol		No data available			-	
errestrial toxicity - plants, if available:						
Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
propan-2-ol		No data available			-	
errestrial toxicity - birds, if available:	•					
Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
propan-2-ol		No data available			-	
errestrial toxicity - beneficial insects, if available:						
Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
propan-2-ol		No data available			-	
errestrial toxicity - soil bacteria, if available:	•			•		
Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
propan-2-ol		No data available			-	
2.2 Persistence and degradability biotic degradation biotic degradation - photodegradation in air, if available	e:					
biotic degradation - hydrolysis, if available:						
piotic degradation - other processes, if available:						
iodegradation eady biodegradability - aerobic conditions						
Ingredient(s)	Inoculum	Analyt metho		DT 50	Method	Evaluation

Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized					No data available
propan-2-ol			95 % in 21 day(s)	OECD 301E	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

12.3 Bioaccumulative potentialPartition coefficient n-octanol/water (log Kow)

Tartition coomolorit in cotano, mater (log new)								
Ingredient(s)	Value	Method	Evaluation	Remark				
fatty acids, C10-20 and C16-18-unsatd.,	No data available							
reaction products with triethanolamine,								
di-Me sulfate-quaternized								
propan-2-ol	0.05	OECD 107	No bioaccumulation expected					

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
fatty acids, C10-20 and	No data available				
C16-18-unsatd.,					
reaction products with					
triethanolamine, di-Me					
sulfate-quaternized					
propan-2-ol	No data available				

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	No data available				
propan-2-ol	No data available				Potential for mobility in soil, soluble in water

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.5 Other adverse effects

12.6 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging

material is suitable for energy recovery or recycling in line with local legislation.

European Waste Catalogue: 20 01 30 - detergents other than those mentioned in 20 01 29.

Empty packaging

Recommendation: Dispose of observing national or local regulations.

Suitable cleaning agents: Water, if necessary with cleaning agent.

SECTION 14: Transport information

Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number: Non-dangerous goods

14.2 UN proper shipping name: Non-dangerous goods 14.3 Transport hazard class(es): Non-dangerous goods

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods 14.6 Special precautions for user: Non-dangerous goods

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Non-dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations:

- Regulation (EC) No. 1907/2006 REACH Regulation (EC) No 1272/2008 CLP
- Regulation (EC) No. 648/2004 Detergents regulation

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

UFI: WHS5-30U4-100Q-V6XP

Ingredients according to EC Detergents Regulation 648/2004

cationic surfactants

perfumes, DMDM Hydantoin, Potassium Sorbate

5 - 15 %

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

Revision: 2020-01-26 SDS code: MSDS6169 Version: 08.0

Reason for revision:

This data sheet contains changes from the previous version in section(s):, 2, 3, 8, 9, 11, 12, 15, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Full text of the H and EUH phrases mentioned in section 3:

- H225 Highly flammable liquid and vapour.
- H290 May be corrosive to metals.
- H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation. H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- · H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.
- H400 Very toxic to aquatic life.
 H411 Toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

- AISE The international Association for Soaps, Detergents and Maintenance Products

- DNEL Derived No Effect Limit
 EUH CLP Specific hazard statement
 PBT Persistent, Bioaccumulative and Toxic
 PNEC Predicted No Effect Concentration
- REACH number REACH registration number, without supplier specific part
- vPvB very Persistent and very Bioaccumulative
- ATE Acute Toxicity Estimate
- LD50 Lethal Dose, 50% / Median Lethal dose
- LC50 Lethal Concentration, 50% / Median Lethal Concentration
- EC50 effective concentration, 50% NOEL No observed effect level
- · NOAEL No observed adverse effect level
- OECD Organization for Economic Cooperation and Development

End of Safety Data Sheet