

SAFETY DATA SHEET Easy Seriously Thick Longer-Lasting Bleach Original [750ml x 12]

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME Easy Seriously Thick Longer-Lasting Bleach Original [750ml x 12]

PRODUCT NO. 537550

INTERNAL ID B162 - 00021394 (1 - 17/06/2008)

APPLICATION Household bleaching and disinfecting

SUPPLIER Jeyes Ltd

Brunel Way Thetford Norfolk IP24 1HF England

T +44 (0)1842 757575 F +44 (0)1842 757683 technical@jeyes.co.uk

EMERGENCY TELEPHONE +44 (0) 1842 757575

CONTAINER SIZE 750 ml

2 HAZARDS IDENTIFICATION

Irritating to eyes and skin.

CLASSIFICATION Xi;R36/38.

3 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification
SODIUM HYPOCHLORITE SOLUTION, % CI ACTIVE	231-668-3	7681-52-9	2.5 - < 5%	C;R34 R31 N;R50
SODIUM HYDROXIDE	215-185-5	1310-73-2	0.25 - < 1%	C;R35

The Full Text for all R-Phrases are Displayed in Section 16

4 FIRST-AID MEASURES

INHALATION

Move injured person into fresh air and keep person calm under observation. If necessary, seek hospital and bring these instructions.

INGESTION

Immediately rinse mouth and provide fresh air. Get medical attention. Do not induce vomiting. NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS!

SKIN CONTACT

Remove contaminated clothes and rinse skin thoroughly with water. Get medical attention if irritation persists after washing.

EYE CONTACT

Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

Extinguish with foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media appropriate for surrounding materials.

SPECIFIC HAZARDS

The product is non-combustible. If heated, toxic vapours may be formed. Chlorine.

PROTECTIVE MEASURES IN FIRE

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

6 ACCIDENTAL RELEASE MEASURES

Easy Seriously Thick Longer-Lasting Bleach Original [750ml x 12]

PERSONAL PRECAUTIONS

Avoid contact with skin and eyes. For personal protection, see section 8.

SPILL CLEAN UP METHODS

Wear necessary protective equipment. Small Spillages Flush away spillage with plenty of water. Large Spillages Absorb with sand or other inert absorbent. Transfer to a container for disposal. For waste disposal, see section 13.

7 HANDLING AND STORAGE

USAGE PRECAUTIONS

Read and follow manufacturer's recommendations. Avoid contact with skin and eyes.

STORAGE PRECAUTIONS

Keep away from food, drink and animal feeding stuffs. Store in closed original container at temperatures between 0°C and 30°C. Store away from Acids.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Name	Std	LT - ppm	LT - mg/m3	ST - ppm	ST - mg/m3
SODIUM HYDROXIDE	WEL				2 mg/m3

HAND PROTECTION

For prolonged or repeated skin contact use suitable protective gloves. Rubber gloves are recommended.

EYE PROTECTION

Wear approved, tight fitting safety glasses where splashing is probable.

HYGIENE MEASURES

Wash hands after handling

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE Clear Viscous liquid

COLOUR Clear

ODOUR Fresh Slight odour Chlorine.

SOLUBILITY Soluble in water.

RELATIVE DENSITY 1.067 - 1.097 @ 20°C pH-VALUE, CONC. SOLUTION 12 - 14

VISCOSITY 90 - 120 cps @ 20°C FLASH POINT (°C) >61°C CC (Closed cup).

10 STABILITY AND REACTIVITY

STABILITY

Stable under normal temperature conditions and recommended use.

CONDITIONS TO AVOID

Avoid contact with acids. Do not mix or use with other products.

HAZARDOUS DECOMPOSITION PRODUCTS

Chlorine

11 TOXICOLOGICAL INFORMATION

INHALATION

May cause irritation to the respiratory system.

INGESTION

Irritating. May cause nausea, stomach pain and vomiting.

SKIN CONTACT

Irritating to skin.

EYE CONTACT

Irritating to eyes.

12 ECOLOGICAL INFORMATION

ECOTOXICITY

The product is not expected to be hazardous to the environment.

Easy Seriously Thick Longer-Lasting Bleach Original [750ml x 12]

MOBILITY

The product is soluble in water.

13 DISPOSAL CONSIDERATIONS

GENERAL INFORMATION

When handling waste, consideration should be made to the safety precautions applying to handling of the product.

DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements.

14 TRANSPORT INFORMATION

GENERAL LIMITED QUANTITIES for ADR/RID/IMDG (Not for transportation via air (ICAO/IATA) as limited

quantities).



UK ROAD CLASS 8

PROPER SHIPPING NAME HYPOCHLORITE SOLUTION

UN NO. ROAD 1791 UK ROAD PACK GR. III

ADR CLASS NO. 8 ADR CLASS Class 8: Corrosive substances.

ADR PACK GROUP Ш HAZARD No. (ADR) 80 ADR LABEL NO. HAZCHEM CODE 2X CEFIC TEC(R) NO. 80GC9-II+III RID CLASS NO. 8 **RID PACK GROUP** Ш UN NO. SEA 1791 IMDG CLASS 8 IMDG PACK GR. Ш **FMS** F-A, S-B MARINE POLLUTANT No. UN NO. AIR 1791 AIR CLASS 8

AIR PACK GR. III

15 REGULATORY INFORMATION

LABELLING



Irritant

RISK PHRASES

R36/38 Irritating to eyes and skin.

SAFETY PHRASES

S2 Keep out of the reach of children S24/25 Avoid contact with skin and eyes.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

S28 After contact with skin, wash immediately with plenty of water.

S46 If swallowed, seek medical advice immediately and show this container or label.

P6 Warning! Do not use together with other products. May release dangerous gases

(chlorine).

EU DIRECTIVES

Dangerous Preparations Directive 1999/45/EC.

System of specific information relating to Dangerous Preparations. 2001/58/EC.

NATIONAL REGULATIONS

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2002. No. 1689.

Easy Seriously Thick Longer-Lasting Bleach Original [750ml x 12]

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

16 OTHER INFORMATION

REVISION COMMENTS

This is first issue.

ISSUED BY

Michelle Smith

REVISION DATE 10/07/2008

REV. NO./REPL. SDS GENERATED 1

RISK PHRASES IN FULL

R31 Contact with acids liberates toxic gas.

R34 Causes burns.

R35 Causes severe burns.

R50 Very toxic to aquatic organisms.

DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.