Safety Data Sheet

according to Regulation (EC) No. 453/2010 Date of issue: 08/11/2016 Revision date: 05/06/20

ssue: 08/11/2016 Revision date: 05/06/2015 :

STERI-GERM 6W

	substance/mixture and of the company/undertaking		
1.1. Product identifier			
Product form	: Mixture		
Product name	: STERI-GERM 6W		
Type of product	: Technical product		
1.2. Relevant identified uses of the	substance or mixture and uses advised against		
1.2.1. Relevant identified uses			
Main use category	: Professional use		
Industrial/Professional use spec	: For professional use only		
Use of the substance/mixture	: Hard surface cleaner for washrooms		
1.2.2. Uses advised against			
No additional information available			
1.3. Details of the supplier of the sa	iety data sheet		
SHORROCK TRICHEM LTD	CHANTERS IND ESTATE, ATHERTON, MANCHESTER, M46 9SD, UNITED KINGDOM		
	Tel: 01942 875 325 Fax: 01942 872 128 Email: purch@shorrock-ih.com		
1.4. Emergency telephone number			
Emergency number	: Mon to Fri 8.30am to 5.00pm - 01942 875 325		
SECTION 2: Hazards identification	n -		
2.1. Classification of the substance			
Classification according to Regulation (E	.C) No. 1272/2008 [CLP]		
Eye Irrit. 2 H319			
Full text of H-phrases: see section 16			
2.2. Label elements			
Labelling according to Regulation (EC) N	o. 1272/2008 [CLP]		
Hazard pictograms (CLP)			
	GHS07		
Signal word (CLP)	: Warning		
Hazard statements (CLP)	: H319 - Causes serious eye irritation		
Precautionary statements (CLP)	: P264 - Wash hands thoroughly after handling		
	P280 - Wear eye protection		
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing		
	P337+P313 - If eye irritation persists: Get medical advice/attention		
2.2 Other hererde			
2.3. Other hazards			
No additional information available			

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Cocamidopropyl betaine	(CAS No) 147170-44-3	1 - 5	Xi; R41	Eye Dam. 1, H318 Aquatic Chronic 3, H412

Version: 10.0

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
N,N-dimethyltetradecylamine N-oxide	(CAS No) 3332-27-2 (EC no) 222-059-3 (REACH-no) 01- 2119949262-37	1 - 5	Xi; R41 Xi; R38 N; R50	Skin Irrit. 2, H315 Eye Dam. 1, H318

Full text of R- and H-phrases: see section 16

edical advice/attention if you feel unwell. ve person to fresh air and keep comfortable for breathing. with plenty of soap and water. EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if preser say to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. iothing or a little water to drink. Get medical advice/attention if you feel unwell. icute and delayed ause respiratory irritation. ited exposure may cause skin dryness or cracking. is eye irritation. ause a light irritation of the linings of the mouth, throat, and gastrointestinal tract. and special treatment needed in dioxide. Dry powder. Foam. r mixture
ve person to fresh air and keep comfortable for breathing. with plenty of soap and water. EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if presentasy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. iothing or a little water to drink. Get medical advice/attention if you feel unwell. Incute and delayed ause respiratory irritation. Ited exposure may cause skin dryness or cracking. Its eye irritation. ause a light irritation of the linings of the mouth, throat, and gastrointestinal tract. In and special treatment needed In dioxide. Dry powder. Foam.
with plenty of soap and water. EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if preserves asy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. iothing or a little water to drink. Get medical advice/attention if you feel unwell. iother and delayed ause respiratory irritation. ited exposure may cause skin dryness or cracking. ause a light irritation of the linings of the mouth, throat, and gastrointestinal tract. and special treatment needed in dioxide. Dry powder. Foam.
EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if presentacy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. iothing or a little water to drink. Get medical advice/attention if you feel unwell. iothing and delayed ause respiratory irritation. Ited exposure may cause skin dryness or cracking. Is eye irritation. ause a light irritation of the linings of the mouth, throat, and gastrointestinal tract. In and special treatment needed In dioxide. Dry powder. Foam.
asy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. aothing or a little water to drink. Get medical advice/attention if you feel unwell. acute and delayed ause respiratory irritation. atted exposure may cause skin dryness or cracking. Is eye irritation. ause a light irritation of the linings of the mouth, throat, and gastrointestinal tract. and special treatment needed n dioxide. Dry powder. Foam.
ause respiratory irritation. ted exposure may cause skin dryness or cracking. ause a light irritation of the linings of the mouth, throat, and gastrointestinal tract. and special treatment needed n dioxide. Dry powder. Foam.
ause respiratory irritation. Ited exposure may cause skin dryness or cracking. Ites eye irritation. Ites a light irritation of the linings of the mouth, throat, and gastrointestinal tract. Iteration and special treatment needed In dioxide. Dry powder. Foam.
n dioxide. Dry powder. Foam.
ause a light irritation of the linings of the mouth, throat, and gastrointestinal tract.
ause a light irritation of the linings of the mouth, throat, and gastrointestinal tract.
n dioxide. Dry powder. Foam.
n dioxide. Dry powder. Foam.
rmixture
Ind emergency procedures
ate unnecessary personnel.
propel protective equipment on required
ersonal protective equipment as required.
eaning up
t spillage.
up spills with inert solids, such as clay or diatomaceous earth as soon as possible.
s/personal protection". For further information refer to section 13.
contact with eyes.
t eat, drink or smoke when using this product.
compatibilities
not require any specific or particular technical measures.
container closed when not in use.
ing agent. Strong acids. Strong bases.
only in original container.

Safety Data Sheet

according to Regulation (EC) No. 453/2010

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls	
Materials for protective clothing	: Not required for normal conditions of use
Hand protection	: In case of repeated or prolonged contact wear gloves
Eye protection	: Safety glasses
Skin and body protection	: Not required for normal conditions of use
Respiratory protection	: Not required for normal conditions of use



SECTION 9: Physical and chemica	I properties
9.1. Information on basic physical and	d chemical properties
Physical state	: Liquid
Appearance	: Mobile liquid.
Colour	: Green.
Odour	: sharp.
Odour threshold	: No data available
рН	: 3.7
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 1.01
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECT	ION 10: Stability and reactivity
10.1.	Reactivity
No addi	itional information available
10.2.	Chemical stability
Stable u	under normal conditions.
10.3.	Possibility of hazardous reactions
No addi	itional information available
10.4.	Conditions to avoid
No addi	itional information available

Safety Data Sheet

according to Regulation (EC) No. 453/2010

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity	: Not classified	
Skin corrosion/irritation	: Not classified pH: 3.7	
Serious eye damage/irritation	: Causes serious eye irritation. pH: 3.7	
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
Specific target organ toxicity (single exposure)	: Not classified	
Specific target organ toxicity (repeated exposure)	: Not classified	
Aspiration hazard	: Not classified	

SECTION 12: Ecological information

12.1. Toxicity

Cocamidopropyl betaine (147170-44-3)		
LC50 fishes 1	> 1 (1 - 10) mg/kg	
EC50 Daphnia 1	> 1 (1 - 10) mg/l	
ErC50 (other aquatic plants)	> 1 (1 - 10) mg/l	
NOEC chronic fish	<= 1 mg/l	
NOEC chronic crustacea <= 1 mg/l		
N,N-dimethyltetradecylamine N-oxide (3332-2	7-2)	
LC50 fishes 1	2.4 mg/l	
EC50 other aquatic organisms 1	1.1 mg/l EC50 waterflea (48 h)	
EC50 other aquatic organisms 2	> 0.08 mg/l IC50 algea (72 h) mg/l	
40.0 Development and de medick little		
12.2. Persistence and degradability		
No additional information available		
12.3. Bioaccumulative potential		
No additional information available		
12.4. Mobility in soil		
No additional information available		
12.5. Results of PBT and vPvB assessment		
No additional information available		
12.6. Other adverse effects		
No additional information available		
SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
No additional information available		
SECTION 14: Transport information		
In accordance with ADR / RID / IMDG / IATA / ADN		
14.1. UN number		
Not regulated for transport		
14.2. UN proper shipping name	Nation Parkita	
Proper Shipping Name (ADR) : Not applicable		
Proper Shipping Name (IMDG) : Not applicable		

STERI-GERM 6W	
Safety Data Sheet	
according to Regulation (EC) No. 453/2010	
Proper Shipping Name (IATA) : Not	applicable
14.3. Transport hazard class(es)	
ADR	
Transport hazard class(es) (ADR) : Not	applicable
IMDG	
Transport hazard class(es) (IMDG) : Not	applicable
ΙΑΤΑ	
Transport hazard class(es) (IATA) : Not	applicable
14.4. Packing group	
Packing group (ADR) : Not	applicable
Packing group (IMDG) : Not	applicable
Packing group (IATA) : Not	applicable
14.5. Environmental hazards	
Dangerous for the environment : No	
Marine pollutant : No	
Other information : No	supplementary information available
14.6. Special precautions for user	
- Overland transport	
No data available	
- Transport by sea	
No data available	
- Air transport	
No data available	
14.7. Transport in bulk according to Annex II of	MARPOL 73/78 and the IBC Code
Not applicable	
SECTION 15: Regulatory information	
	nollogialation analific for the substance or mixture
	ns/legislation specific for the substance or mixture
15.1.1. EU-Regulations	
Contains no substances with Annex XVII restrictions	
Contains no substance on the REACH candidate list	
Contains no REACH Annex XIV substances	
15.1.2. National regulations	
Germany	
-	ter hazard class (WGK) 1, slightly hazardous to water (Classification according to VwVwS,
	nex 4)
	ot subject of the 12. BlmSchV (Hazardous Incident Ordinance)
Immission Control Act - 12.BImSchV	
15.2. Chemical safety assessment	
No additional information available	
SECTION 16: Other information	
Full text of P. H. and FUL phrases	
Full text of R-, H- and EUH-phrases: Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2

Skin corrosion/irritation, Category 2

Skin Irrit. 2

Safety Data Sheet

according to Regulation (EC) No. 453/2010

H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H412	Harmful to aquatic life with long lasting effects

SDS EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product