



## SAFETY DATA SHEET

### V-Air Solid Evolution - Bergamot & Sandalwood

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

**Product name** V-Air Solid Evolution - Bergamot & Sandalwood

**Internal identification** VEVO BERGAMOT

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Air freshener

**Uses advised against** Use only for intended applications.

##### 1.3. Details of the supplier of the safety data sheet

**Supplier** Vectair Systems Ltd  
Unit 3, Trident Centre, Armstrong Road, Basingstoke, Hampshire, RG24 8NU, UK  
+44 1256 319500  
emea.info@vectairsystems.com

**Contact person** Product development

##### 1.4. Emergency telephone number

**Emergency telephone** Vectair Systems Ltd +44 1256 319500 (Office Hours 09:00am to 17:00pm)

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Classification (EC 1272/2008)

**Physical hazards** Not Classified

**Health hazards** Skin Irrit. 2 - H315 Skin Sens. 1 - H317

**Environmental hazards** Aquatic Chronic 2 - H411

Classification in accordance  
with Directive 1907/2006/EEC

##### 2.2. Label elements

**Hazard pictograms**



**Signal word** Warning

**Hazard statements** H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H317 May cause an allergic skin reaction.

## V-Air Solid Evolution - Bergamot & Sandalwood

### Precautionary statements

P280 Wear protective gloves.  
 P261 Avoid breathing vapours.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.  
 P362+P364 Take off contaminated clothing and wash it before reuse.  
 P310 Immediately call a POISON CENTER/ doctor.  
 P501 Dispose of contents/ container in accordance with national regulations.

### Contains

Alpha-Pinenes, Linalool, Pin-2(10)-ene, 6,6-dimethylbicyclo[3.1.1]hept-2-ene-2-propionaldehyde, (R)-p-mentha-1,8-diene, Citronellol, 7-Hydroxycitronellal, Eucalyptus Oil (Eucalyptus Globulus Labille), 2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde, Citrus limon (L.) Burm. F., Hexyl cinnamal, Benzyl salicylate

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

|   |               |
|---|---------------|
| <b>Alpha-Pinenes</b><br>CAS number: 80-56-8   | <b>2.5-5%</b> |
| <b>Classification</b><br>Flam. Liq. 3 - H226<br>Skin Irrit. 2 - H315<br>Skin Sens. 1 - H317<br>Asp. Tox. 1 - H304 |               |
| <b>Linalool</b><br>CAS number: 78-70-6  | <b>2.5-5%</b> |
| <b>Classification</b><br>Skin Irrit. 2 - H315<br>Eye Irrit. 2 - H319<br>Skin Sens. 1B - H317                      |               |
| <b>dipropylene glycol methyl ether acetate</b><br>CAS number: 88917-22-0  | <b>2.5-5%</b> |
| <b>Classification</b><br>Skin Irrit. 2 - H315<br>Eye Irrit. 2 - H319<br>STOT SE 3 - H335                          |               |

## V-Air Solid Evolution - Bergamot & Sandalwood

|  |
|--|
| <b>Polyethylene glycol mono (octylphenyl) ether</b> <span style="float: right;"><b>2.5-5%</b></span><br>CAS number: 9036-19-5  |
| <b>Classification</b><br>Skin Irrit. 2 - H315<br>Eye Irrit. 2 - H319<br>STOT SE 3 - H335<br>Aquatic Chronic 2 - H411   |
| <b>Pin-2(10)-ene</b> <span style="float: right;"><b>1-2.5%</b></span><br>CAS number: 127-91-3  |
| <b>Classification</b><br>Flam. Liq. 3 - H226<br>Skin Irrit. 2 - H315<br>Skin Sens. 1B - H317<br>Asp. Tox. 1 - H304   |
| <b>Bornan-2-one</b> <span style="float: right;"><b>1-2.5%</b></span><br>CAS number: 76-22-2  |
| <b>Classification</b><br>Flam. Sol. 2 - H228<br>Acute Tox. 4 - H302<br>STOT SE 2 - H371  |
| <b>6,6-dimethylbicyclo[3.1.1]hept-2-ene-2-propionaldehyde</b> <span style="float: right;"><b>1-2.5%</b></span><br>CAS number: 33885-51-7<br>M factor (Acute) = 1 <span style="margin-left: 100px;">M factor (Chronic) = 1</span> |
| <b>Classification</b><br>Acute Tox. 4 - H302<br>Skin Irrit. 2 - H315<br>Eye Irrit. 2 - H319<br>Skin Sens. 1B - H317<br>Aquatic Acute 1 - H400<br>Aquatic Chronic 1 - H410  |
| <b>7-Hydroxycitronellal</b> <span style="float: right;"><b>0.25-1%</b></span><br>CAS number: 107-75-5  |
| <b>Classification</b><br>Eye Irrit. 2 - H319<br>Skin Sens. 1 - H317  |

## V-Air Solid Evolution - Bergamot & Sandalwood

|   |                        |
|---|------------------------|
| <b>2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde</b> | <b>0.25-1%</b>         |
| CAS number: 68039-49-6                            |                        |
| <b>Classification</b>                             |                        |
| Skin Irrit. 2 - H315                              |                        |
| Eye Irrit. 2 - H319                               |                        |
| Skin Sens. 1 - H317                               |                        |
| Aquatic Chronic 3 - H412                          |                        |
| <b>Citronellol</b>                                | <b>0.25-1%</b>         |
| CAS number: 106-22-9                              |                        |
| <b>Classification</b>                             |                        |
| Skin Irrit. 2 - H315                              |                        |
| Eye Irrit. 2 - H319                               |                        |
| Skin Sens. 1B - H317                              |                        |
| <b>Citrus limon (L.) Burm. F.</b>                 | <b>0.25-1%</b>         |
| CAS number: 68917-33-9                            |                        |
| M factor (Acute) = 1                              | M factor (Chronic) = 1 |
| <b>Classification</b>                             |                        |
| Flam. Liq. 3 - H226                               |                        |
| Skin Irrit. 2 - H315                              |                        |
| Skin Sens. 1 - H317                               |                        |
| Asp. Tox. 1 - H304                                |                        |
| Aquatic Acute 1 - H400                            |                        |
| Aquatic Chronic 1 - H410                          |                        |
| <b>(R)-p-mentha-1,8-diene</b>                     | <b>0.25-1%</b>         |
| CAS number: 5989-27-5                             | EC number: 227-813-5   |
| M factor (Acute) = 1                              | M factor (Chronic) = 1 |
| <b>Classification</b>                             |                        |
| Flam. Liq. 3 - H226                               |                        |
| Skin Irrit. 2 - H315                              |                        |
| Skin Sens. 1 - H317                               |                        |
| Aquatic Acute 1 - H400                            |                        |
| Aquatic Chronic 1 - H410                          |                        |



## V-Air Solid Evolution - Bergamot & Sandalwood

|                                   |   |
|-----------------------------------|---|
| <b>Ingestion</b>                  | Rinse mouth thoroughly with water. Remove any dentures. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Place unconscious person on their side in the recovery position and ensure breathing can take place. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. |
| <b>Skin contact</b>               | It is important to remove the substance from the skin immediately. In the event of any sensitisation symptoms developing, ensure further exposure is avoided. Remove contamination with soap and water or recognised skin cleansing agent. Get medical attention if symptoms are severe or persist after washing.   |
| <b>Eye contact</b>                | Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes.   |
| <b>Protection of first aiders</b> | First aid personnel should wear appropriate protective equipment during any rescue. Wash contaminated clothing thoroughly with water before removing it from the affected person, or wear gloves.   |

### 4.2. Most important symptoms and effects, both acute and delayed

|                            |  |
|----------------------------|--|
| <b>General information</b> | See Section 11 for additional information on health hazards. The severity of the symptoms described will vary dependent on the concentration and the length of exposure. |
| <b>Inhalation</b>          | Symptoms following overexposure may include the following: Irritation of nose, throat and airway. Headache.  |
| <b>Ingestion</b>           | May cause sensitisation or allergic reactions in sensitive individuals. May cause irritation.  |
| <b>Skin contact</b>        | May cause skin sensitisation or allergic reactions in sensitive individuals. Redness. Irritating to skin.  |
| <b>Eye contact</b>         | No specific symptoms known.  |

### 4.3. Indication of any immediate medical attention and special treatment needed

|                             |  |
|-----------------------------|--|
| <b>Notes for the doctor</b> | Treat symptomatically. May cause sensitisation or allergic reactions in sensitive individuals. |
|-----------------------------|--|

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

|                                       |  |
|---------------------------------------|--|
| <b>Suitable extinguishing media</b>   | The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. |
| <b>Unsuitable extinguishing media</b> | Do not use water jet as an extinguisher, as this will spread the fire.   |

### 5.2. Special hazards arising from the substance or mixture

|                                      |  |
|--------------------------------------|--|
| <b>Specific hazards</b>              | None known.  |
| <b>Hazardous combustion products</b> | Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours. |

### 5.3. Advice for firefighters

|   |  |
|---|--|
| <b>Protective actions during firefighting</b> | Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. Avoid discharge to the aquatic environment. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities. |
|---|--|

## V-Air Solid Evolution - Bergamot & Sandalwood

**Special protective equipment for firefighters** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** No action shall be taken without appropriate training or involving any personal risk. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Ensure procedures and training for emergency decontamination and disposal are in place. Avoid contact with skin and eyes.

#### 6.2. Environmental precautions

**Environmental precautions** Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment.

#### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Wear protective clothing as described in Section 8 of this safety data sheet. Collect and place in suitable waste disposal containers and seal securely. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

#### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

**Usage precautions** Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Keep container tightly sealed when not in use. Avoid discharge to the aquatic environment. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment.

**Advice on general occupational hygiene** Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Change work clothing daily before leaving workplace.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store in accordance with local regulations. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. Do not expose to temperatures exceeding 50°C/122°F.

**Storage class** Miscellaneous hazardous material storage.

#### 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

### SECTION 8: Exposure controls/Personal protection

#### 8.1. Control parameters

##### Occupational exposure limits

**Bornan-2-one**

## V-Air Solid Evolution - Bergamot & Sandalwood

Long-term exposure limit (8-hour TWA): WEL 2 ppm 13 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL 3 ppm 19 mg/m<sup>3</sup>

### 2,6-di-tert-butyl-p-cresol

Long-term exposure limit (8-hour TWA): WEL 10 mg/m<sup>3</sup>

WEL = Workplace Exposure Limit

### Ingredient

## 8.2. Exposure controls

### Protective equipment



### Appropriate engineering controls

Provide adequate ventilation. Personal, workplace environment or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Personal protective equipment should only be used if worker exposure cannot be controlled adequately by the engineering control measures. Ensure control measures are regularly inspected and maintained. Ensure operatives are trained to minimise exposure.

### Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with European Standard EN166. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses.

### Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard EN374. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.

### Other skin and body protection

Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.

### Hygiene measures

Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Clean equipment and the work area every day. Good personal hygiene procedures should be implemented. Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke. Warn cleaning personnel of any hazardous properties of the product.

### Respiratory protection

Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with European Standard EN14387. Full face mask respirators with replaceable filter cartridges should comply with European Standard EN136. Half mask and quarter mask respirators with replaceable filter cartridges should comply with European Standard EN140.

### Environmental exposure controls

Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties



## V-Air Solid Evolution - Bergamot & Sandalwood

|   |                                 |
|---|---------------------------------|
| <b>Appearance</b>                                   | Solid. Coloured gel.            |
| <b>Colour</b>                                       | Green. Orange.                  |
| <b>Odour</b>  | Herbal                          |
| <b>Odour threshold</b>                              | Not determined.                 |
| <b>pH</b>   | Not determined.                 |
| <b>Melting point</b>                                | Not determined.                 |
| <b>Initial boiling point and range</b>              | >100°C                          |
| <b>Flash point</b>                                  | > 100°C                         |
| <b>Evaporation rate</b>                             | Not determined.                 |
| <b>Evaporation factor</b>                           | Not determined.                 |
| <b>Flammability (solid, gas)</b>                    | Not applicable.                 |
| <b>Upper/lower flammability or explosive limits</b> | Not determined.                 |
| <b>Other flammability</b>                           | Not determined.                 |
| <b>Vapour pressure</b>                              | 2 hPa @ 20°C                    |
| <b>Vapour density</b>                               | Not determined.                 |
| <b>Relative density</b>                             | Not determined.                 |
| <b>Bulk density</b>                                 | > 1 g/cm <sup>3</sup>           |
| <b>Solubility(ies)</b>                              | Immiscible with water.          |
| <b>Partition coefficient</b>                        | Not determined.                 |
| <b>Auto-ignition temperature</b>                    | Technically not feasible.       |
| <b>Decomposition Temperature</b>                    | Not determined.                 |
| <b>Viscosity</b>                                    | Not determined.                 |
| <b>Explosive properties</b>                         | Not considered to be explosive. |
| <b>Explosive under the influence of a flame</b>     | Not considered to be explosive. |
| <b>Oxidising properties</b>                         | Not determined.                 |

### 9.2. Other information

**Volatile organic compound** This product contains a maximum VOC content of 10.30 %.

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

**Reactivity** There are no known reactivity hazards associated with this product.

### 10.2. Chemical stability

**Stability** Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.

### 10.3. Possibility of hazardous reactions

## V-Air Solid Evolution - Bergamot & Sandalwood

**Possibility of hazardous reactions** No potentially hazardous reactions known.

### 10.4. Conditions to avoid

**Conditions to avoid** There are no known conditions that are likely to result in a hazardous situation.

### 10.5. Incompatible materials

**Materials to avoid** No specific material or group of materials is likely to react with the product to produce a hazardous situation.

### 10.6. Hazardous decomposition products

**Hazardous decomposition products** Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Acute toxicity - oral

**Notes (oral LD<sub>50</sub>)** Based on available data the classification criteria are not met.

**ATE oral (mg/kg)** 18,518.52

#### Acute toxicity - dermal

**Notes (dermal LD<sub>50</sub>)** Based on available data the classification criteria are not met.

#### Acute toxicity - inhalation

**Notes (inhalation LC<sub>50</sub>)** Based on available data the classification criteria are not met.

#### Skin corrosion/irritation

**Animal data** Irritating.

#### Serious eye damage/irritation

**Serious eye damage/irritation** Based on available data the classification criteria are not met.

#### Respiratory sensitisation

**Respiratory sensitisation** Based on available data the classification criteria are not met.

#### Skin sensitisation

**Skin sensitisation** May cause skin sensitisation or allergic reactions in sensitive individuals.

#### Germ cell mutagenicity

**Genotoxicity - in vitro** Based on available data the classification criteria are not met.

#### Carcinogenicity

**Carcinogenicity** Based on available data the classification criteria are not met.

#### IARC carcinogenicity

Contains a substance which may be potentially carcinogenic. IARC Group 3 Not classifiable as to its carcinogenicity to humans.

#### Reproductive toxicity

**Reproductive toxicity - fertility** Based on available data the classification criteria are not met.

**Reproductive toxicity - development**

Based on available data the classification criteria are not met.

#### Specific target organ toxicity - single exposure

**STOT - single exposure** Not classified as a specific target organ toxicant after a single exposure.

#### Specific target organ toxicity - repeated exposure

## V-Air Solid Evolution - Bergamot & Sandalwood

|                                 |   |
|---------------------------------|---|
| <b>STOT - repeated exposure</b> | Not classified as a specific target organ toxicant after repeated exposure.                                 |
| <b><u>Aspiration hazard</u></b> |   |
| <b>Aspiration hazard</b>        | Not relevant. Solid.  |
| <b>General information</b>      | The severity of the symptoms described will vary dependent on the concentration and the length of exposure. |
| <b>Inhalation</b>               | Symptoms following overexposure may include the following: Irritation of nose, throat and airway. Headache. |
| <b>Ingestion</b>                | May cause sensitisation or allergic reactions in sensitive individuals. May cause irritation.               |
| <b>Skin contact</b>             | May cause skin sensitisation or allergic reactions in sensitive individuals. Redness. Irritating to skin.   |
| <b>Eye contact</b>              | No specific symptoms known.   |
| <b>Route of exposure</b>        | Ingestion Inhalation Skin and/or eye contact  |
| <b>Target organs</b>            | No specific target organs known.  |
| <b>Medical considerations</b>   | Skin disorders and allergies.   |

### SECTION 12: Ecological information

#### 12.1. Toxicity

**Toxicity** Aquatic Chronic 2 - H411 Toxic to aquatic life with long lasting effects.

#### 12.2. Persistence and degradability

**Persistence and degradability** The degradability of the product is not known.

#### 12.3. Bioaccumulative potential

**Bioaccumulative potential** No data available on bioaccumulation.

**Partition coefficient** Not determined.

#### 12.4. Mobility in soil

**Mobility** No data available.

#### 12.5. Results of PBT and vPvB assessment

#### 12.6. Other adverse effects

**Other adverse effects** None known.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

**General information** The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. When handling waste, the safety precautions applying to handling of the product should be considered.

**Disposal methods** Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Incineration or landfill should only be considered when recycling is not feasible.

### SECTION 14: Transport information

## V-Air Solid Evolution - Bergamot & Sandalwood

**General** This product does not require a classification for transport.

### 14.1. UN number

### 14.2. UN proper shipping name

### 14.3. Transport hazard class(es)

### 14.4. Packing group

### 14.5. Environmental hazards

### 14.6. Special precautions for user

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **National regulations**

Health and Safety at Work etc. Act 1974 (as amended).

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).

The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].

EH40/2005 Workplace exposure limits.

#### **EU legislation**

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

Commission Regulation (EU) No 453/2010 of 20 May 2010.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

Dangerous Preparations Directive 1999/45/EC.

Dangerous Substances Directive 67/548/EEC.

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

### Inventories

#### **EU - EINECS/ELINCS**

None of the ingredients are listed or exempt.

## SECTION 16: Other information

#### **General information**

CR-0194

#### **Classification procedures according to Regulation (EC) 1272/2008**

Skin Irrit. 2 - H315: Skin Sens. 1 - H317: : Calculation method. Aquatic Chronic 2 - H411: : Calculation method.

#### **Training advice**

Read and follow manufacturer's recommendations. Only trained personnel should use this material.

#### **Revision comments**

This is the first issue.

#### **Issued by**

Compliance Lead - Vectair Systems

#### **Revision date**

13/09/2019

#### **Revision**

3

#### **Supersedes date**

29/08/2019

#### **SDS number**

5033

## V-Air Solid Evolution - Bergamot & Sandalwood

### Hazard statements in full

H226 Flammable liquid and vapour.  
H228 Flammable solid.  
H302 Harmful if swallowed.  
H304 May be fatal if swallowed and enters airways.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H335 May cause respiratory irritation.  
H371 May cause damage to organs .  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.  
H411 Toxic to aquatic life with long lasting effects.  
H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.