



## Divosan SaniSigma VS69

Revision: 2021-12-26

Version: 01.1

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Trade name:** Divosan SaniSigma VS69

UFI: MU5F-Q0KR-Q006-G8S9

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Product use:** Open plant cleaning chemical.  
For industrial use only..

**Uses advised against:** Uses other than those identified are not recommended.

#### SWED - Sector-specific worker exposure description :

AISE\_SWED\_IS\_8b\_1  
AISE\_SWED\_IS\_4\_1  
AISE\_SWED\_IS\_7\_4  
AISE\_SWED\_IS\_7\_5  
AISE\_SWED\_IS\_13\_3

#### 1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

#### Contact details

Diversey Ltd  
Weston Favell Centre, Northampton NN3 8PD, United Kingdom  
Tel: 01604 405311, Fax: 01604 406809  
Regulatory Email: customerservice.uk@diversey.com

#### 1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)  
For medical or environmental emergency only:  
call 0800 052 0185

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Skin Corr. 1B (H314)  
Eye Dam. 1 (H318)  
Aquatic Acute 1 (H400)  
Aquatic Chronic 2 (H411)  
Met. Corr. 1 (H290)

#### 2.2 Label elements



**Signal word:** Danger.

Contains tetrasodium ethylene diamine tetraacetate (Tetrasodium EDTA), N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (Laurylamine Dipropylendiamine), sodium hydroxide (Sodium Hydroxide)

#### Hazard statements:

H314 - Causes severe skin burns and eye damage.  
H410 - Very toxic to aquatic life with long lasting effects.  
H290 - May be corrosive to metals.

## Divosan SaniSigma VS69

**Precautionary statements:**

P260 - Do not breathe vapours.

P280 - Wear protective gloves, protective clothing and eye or face protection.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

**2.3 Other hazards**

No other hazards known.

**SECTION 3: Composition/information on ingredients****3.2 Mixtures**

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
tetrasodium ethylene diamine tetraacetate	200-573-9	64-02-8	01-2119486762-27	Acute Tox. 4 (H302) Acute Tox. 4 (H332) STOT RE 2 (H373) Eye Dam. 1 (H318)		3-10
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	219-145-8	2372-82-9	[6]	Acute Tox. 3 (H301) Skin Corr. 1B (H314) STOT RE 2 (H373) Eye Dam. 1 (H318) Aquatic Acute 1 M=10 (H400) Aquatic Chronic 1 (H410)		3-10
sodium xylene sulphonate	215-090-9 / 701-037-1	-	01-2119513350-56	Eye Irrit. 2 (H319)		3-10
sodium hydroxide	215-185-5	1310-73-2	01-2119457892-27	Skin Corr. 1A (H314) Met. Corr. 1 (H290)		1-3

**Specific concentration limits**

sodium hydroxide:

- Eye Dam. 1 (H318) >= 2% > Eye Irrit. 2 (H319) >= 0.5%
- Skin Corr. 1A (H314) >= 5% > Skin Corr. 1B (H314) >= 2% > Skin Irrit. 2 (H315) >= 0.5%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[6] Exempted: biocidal active. See Article 15(2) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

**SECTION 4: First aid measures****4.1 Description of first aid measures****General Information:**

If unconscious place in recovery position and seek medical advice. Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator.

**Inhalation:**

Get medical attention or advice if you feel unwell.

**Skin contact:**

Wash skin with plenty of lukewarm, gently flowing water for at least 30 minutes. Take off immediately all contaminated clothing and wash it before reuse. Immediately call a POISON CENTRE, doctor or physician.

**Eye contact:**

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.

**Ingestion:**

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or physician.

**Self-protection of first aider:**

Consider personal protective equipment as indicated in subsection 8.2.

**4.2 Most important symptoms and effects, both acute and delayed****Inhalation:**

No known effects or symptoms in normal use.

**Skin contact:**

Causes severe burns.

**Eye contact:**

Causes severe or permanent damage.

**Ingestion:**

Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of oesophagus and stomach.

**4.3 Indication of any immediate medical attention and special treatment needed**

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

**SECTION 5: Firefighting measures**

## Divosan SaniSigma VS69

**5.1 Extinguishing media**

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

**5.2 Special hazards arising from the substance or mixture**

No special hazards known.

**5.3 Advice for firefighters**

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation. Do not breathe dust or vapour. Wear suitable protective clothing. Wear eye/face protection. Wear suitable gloves.

**6.2 Environmental precautions**

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water. Do not allow to enter the ground/soil. Inform responsible authorities in case undiluted product reaches drainage system, surface or ground water or the ground/soil.

**6.3 Methods and material for containment and cleaning up**

Ensure adequate ventilation. Dyke to collect large liquid spills. Use neutralising agent. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

**6.4 Reference to other sections**

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling****Measures to prevent fire and explosions:**

No special precautions required.

**Measures required to protect the environment:**

For environmental exposure controls see subsection 8.2.

**Advices on general occupational hygiene:**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Do not breathe vapours. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

**7.2 Conditions for safe storage, including any incompatibilities**

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. Keep from freezing. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

Comah - Lower Tier requirements (tonnes): 100

Comah - Upper Tier requirements (tonnes): 200

**7.3 Specific end use(s)**

No specific advice for end use available.

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Ingredient(s)	UK - Long term value(s)	UK - Short term value(s)
sodium hydroxide		2 mg/m <sup>3</sup>

Biological limit values, if available:

**Recommended monitoring procedures, if available:**

Additional exposure limits under the conditions of use, if available:

**DNEL/DMEL and PNEC values****Human exposure**

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects

## Divosan SaniSigma VS69

tetrasodium ethylene diamine tetraacetate	-	-	-	25
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	-	-	-	0.2
sodium xylene sulphonate	-	-	-	3.8
sodium hydroxide	-	-	-	-

## DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
tetrasodium ethylene diamine tetraacetate	-	-	-	-
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	-	-	-	0.91
sodium xylene sulphonate	-	-	0.096 mg/cm <sup>2</sup> skin	136.25
sodium hydroxide	2 %	-	-	-

## DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
tetrasodium ethylene diamine tetraacetate	-	-	-	-
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	-	-	-	0.54
sodium xylene sulphonate	-	-	0.048 mg/cm <sup>2</sup> skin	68.1
sodium hydroxide	2 %	-	-	-

DNEL/DMEL inhalatory exposure - Worker (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
tetrasodium ethylene diamine tetraacetate	3	3	1.5	1.5
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	-	-	-	2.35
sodium xylene sulphonate	-	-	-	26.9
sodium hydroxide	-	-	1	-

DNEL/DMEL inhalatory exposure - Consumer (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
tetrasodium ethylene diamine tetraacetate	1.2	1.2	0.6	-
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	-	-	-	0.7
sodium xylene sulphonate	-	-	-	6.6
sodium hydroxide	-	-	1	-

## Environmental exposure

## Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
tetrasodium ethylene diamine tetraacetate	2.2	0.22	1.2	43
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	0.001	0.0001	0.00015	1.33
sodium xylene sulphonate	0.23	0.023	2.3	100
sodium hydroxide	-	-	-	-

## Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m <sup>3</sup> )
tetrasodium ethylene diamine tetraacetate	-	-	0.72	-
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	8.5	0.85	45.34	-
sodium xylene sulphonate	0.862	0.0862	0.037	-
sodium hydroxide	-	-	-	-

## 8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

**Appropriate engineering controls:** If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required.

**Appropriate organisational controls:** Avoid direct contact and/or splashes where possible. Train personnel.

## REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific worker exposure	LCS	PROC	Duration (min)	ERC
--	--	-----	------	----------------	-----

## Divosan SaniSigma VS69

	description				
Automatic transfer and dilution	AISE_SWED_IS_8b_1	IS	PROC 8b	60	ERC4

**Personal protective equipment****Eye / face protection:**

Safety glasses or goggles (EN 166). The use of a full-face shield or other full-face protection is strongly recommended when handling open containers or if splashes may occur.

**Hand protection:**

Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time:  $\geq 480$  min Material thickness:  $\geq 0.7$  mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time:  $\geq 30$  min Material thickness:  $\geq 0.4$  mm

In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

**Body protection:**

No special requirements under normal use conditions. Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).

**Respiratory protection:**

Respiratory protection is not normally required. However, inhalation of vapour, spray, gas or aerosols should be avoided.

**Environmental exposure controls:**

Should not reach sewage water or drainage ditch undiluted or unneutralised.

*Recommended safety measures for handling the diluted product:*

**Recommended maximum concentration (% w/w):** 1

**Appropriate engineering controls:**

Provide a good standard of general ventilation. Ensure that foam equipment does not generate respirable particles.

**Appropriate organisational controls:**

No special requirements under normal use conditions.

**REACH use scenarios considered for the diluted product:**

	SWED	LCS	PROC	Duration (min)	ERC
Manual application by dipping, soaking, pouring	AISE_SWED_IS_13_3	IS	PROC 13	240	ERC4
Automatic application in a dedicated system	AISE_SWED_IS_4_1	IS	PROC 4	480	ERC8a
Foam spraying	AISE_SWED_IS_7_4	IS	PROC 7	480	ERC4
Spray application	AISE_SWED_IS_7_5				

**Personal protective equipment****Eye / face protection:**

Safety glasses or goggles (EN 166) are always recommended for foam applications.

**Hand protection:**

Chemical-resistant protective gloves (EN 374) are always recommended for foam applications. Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time:  $\geq 480$  min Material thickness:  $\geq 0.7$  mm

In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

**Body protection:**

No special requirements under normal use conditions.

**Respiratory protection:**

No special requirements under normal use conditions.

**Environmental exposure controls:**

No special requirements under normal use conditions.

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

Information in this section refers to the product, unless it is specifically stated that substance data is listed

	Method / remark
<b>Physical state:</b> Liquid	
<b>Colour:</b> Clear , from Colourless to Yellow	
<b>Odour:</b> Product specific	
<b>Odour threshold:</b> Not applicable	
<b>Melting point/freezing point (°C):</b> Not determined	Not relevant to classification of this product
<b>Initial boiling point and boiling range (°C):</b> Not determined	See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
tetrasodium ethylene diamine tetraacetate	No data available	Non-experimental data	
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	No data available		

sodium xylene sulphonate	> 100	Method not given	
sodium hydroxide	> 990	Method not given	

**Method / remark****Flammability (solid, gas):** Not applicable to liquids**Flammability (liquid):** Not flammable.**Flash point (°C):** > 100 °C**Sustained combustion:** Not applicable.*( UN Manual of Tests and Criteria, section 32, L.2 )***Lower and upper explosion limit/flammability limit (%):** Not determined

closed cup

Substance data, flammability or explosive limits, if available:

**Method / remark****Autoignition temperature:** Not determined**Decomposition temperature:** Not applicable.**pH:** > 11 (neat)**Dilution pH:** ≈ 11 (1 %)**Kinematic viscosity:** Not determined**Solubility in / Miscibility with Water:** Fully miscible

ISO 4316

ISO 4316

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
tetrasodium ethylene diamine tetraacetate	500	Method not given	20
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	Soluble		
sodium xylene sulphonate	664	Method not given	
sodium hydroxide	1000	Method not given	20

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

**Method / remark****Vapour pressure:** Not determined

See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
tetrasodium ethylene diamine tetraacetate	0.0000000002	Read across	25
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	No data available		
sodium xylene sulphonate	Not applicable		
sodium hydroxide	< 1330	Method not given	20

**Method / remark****Relative density:** ≈ 1.15 (20 °C)**Relative vapour density:** No data available.**Particle characteristics:** No data available.

OECD 109 (EU A.3)

Not relevant to classification of this product

Not applicable to liquids.

**9.2 Other information****9.2.1 Information with regard to physical hazard classes****Explosive properties:** Not explosive.**Oxidising properties:** Not oxidising.**Corrosion to metals:** Corrosive

Weight of evidence

**9.2.2 Other safety characteristics**

No other relevant information available.

**SECTION 10: Stability and reactivity****10.1 Reactivity**

No reactivity hazards known under normal storage and use conditions.

**10.2 Chemical stability**

Stable under normal storage and use conditions.

**10.3 Possibility of hazardous reactions**

No hazardous reactions known under normal storage and use conditions.

**10.4 Conditions to avoid**

None known under normal storage and use conditions.

**10.5 Incompatible materials**

May be corrosive to metals. Reacts with acids.

### 10.6 Hazardous decomposition products

None known under normal storage and use conditions.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Mixture data:

#### Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

ATE - Inhalatory, mists (mg/l): >5

Substance data, where relevant and available, are listed below:

#### Acute toxicity

##### Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
tetrasodium ethylene diamine tetraacetate	LD <sub>50</sub>	1780	Rat	OECD 401 (EU B.1)		18000
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	LD <sub>50</sub>	261	Rat	Method not given		1800
sodium xylene sulphonate	LD <sub>50</sub>	> 7200	Rat	OECD 401 (EU B.1)		Not established
sodium hydroxide		500				Not established

##### Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
tetrasodium ethylene diamine tetraacetate	LD <sub>50</sub>	> 5000	Rabbit	Method not given		Not established
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	LD <sub>50</sub>	> 2000	Rat	OECD 402 (EU B.3)		Not established
sodium xylene sulphonate	LD <sub>50</sub>	> 2000	Rabbit	OECD 402 (EU B.3)		Not established
sodium hydroxide	LD <sub>50</sub>	1350	Rabbit	Method not given		Not established

##### Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
tetrasodium ethylene diamine tetraacetate	LC <sub>50</sub>	≥ 1-5 (dust)	Rat	OECD 403 (EU B.2)	6
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine		No data available			
sodium xylene sulphonate	LC <sub>0</sub>	> 6.41 (mist) No mortality observed	Rat	OECD 403 (EU B.2)	4
sodium hydroxide		No data available			

##### Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
tetrasodium ethylene diamine tetraacetate	Not established	15	Not established	Not established
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	Not established	Not established	Not established	Not established
sodium xylene sulphonate	Not established	Not established	Not established	Not established
sodium hydroxide	Not established	Not established	Not established	Not established

#### Irritation and corrosivity

##### Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
tetrasodium ethylene diamine tetraacetate	Not irritant	Rabbit	OECD 404 (EU B.4)	
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	Corrosive	Rabbit	OECD 404 (EU B.4)	4 hour(s)
sodium xylene sulphonate	Mild irritant	Rabbit	OECD 404 (EU B.4)	
sodium hydroxide	Corrosive	Rabbit	Method not given	

##### Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
tetrasodium ethylene diamine tetraacetate	Severe damage		Method not given	
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	No data available			

sodium xylene sulphonate	Irritant	Rabbit	OECD 405 (EU B.5)	
sodium hydroxide	Corrosive	Rabbit	Method not given	

## Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
tetrasodium ethylene diamine tetraacetate	No data available			
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	No data available			
sodium xylene sulphonate	No data available			
sodium hydroxide	No data available			

## Sensitisation

## Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
tetrasodium ethylene diamine tetraacetate	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	Not sensitising	Guinea pig	OECD 406 (EU B.6) / Buehler test	
sodium xylene sulphonate	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
sodium hydroxide	Not sensitising		Human repeated patch test	

## Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
tetrasodium ethylene diamine tetraacetate	No data available			
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	No data available			
sodium xylene sulphonate	No data available			
sodium hydroxide	No data available			

## CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

## Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
tetrasodium ethylene diamine tetraacetate	No evidence for mutagenicity, negative test results	Method not given	No evidence of genotoxicity, negative test results	Method not given
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13) OECD 473 OECD 476	No data available	
sodium xylene sulphonate	No evidence for mutagenicity, negative test results	OECD 473	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)
sodium hydroxide	No evidence for mutagenicity, negative test results	DNA repair test on rat hepatocytes OECD 473	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12) OECD 475 (EU B.11)

## Carcinogenicity

Ingredient(s)	Effect
tetrasodium ethylene diamine tetraacetate	No evidence for carcinogenicity, weight-of-evidence
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	No data available
sodium xylene sulphonate	No evidence for carcinogenicity, negative test results
sodium hydroxide	No evidence for carcinogenicity, weight-of-evidence

## Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
tetrasodium ethylene diamine tetraacetate			No data available				No evidence for reproductive toxicity
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine			No data available				No evidence for reproductive toxicity
sodium xylene sulphonate	NOAEL	Teratogenic effects	> 936	Rat	Non guideline test		
sodium hydroxide			No data available				No evidence for developmental toxicity No evidence for reproductive toxicity

## Repeated dose toxicity

## Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
tetrasodium ethylene diamine tetraacetate		No data available				
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine		No data				



## Divosan SaniSigma VS69

		available				
sodium xylene sulphonate	NOAEL	763 - 3534	Rat	OECD 408 (EU B.26)	90	
sodium hydroxide		No data available				

## Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
tetrasodium ethylene diamine tetraacetate		No data available				
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine		No data available				
sodium xylene sulphonate	NOAEL	> 440		OECD 411 (EU B.28)	90	
sodium hydroxide		No data available				

## Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
tetrasodium ethylene diamine tetraacetate		No data available				
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine		No data available				
sodium xylene sulphonate		No data available				
sodium hydroxide		No data available				

## Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
tetrasodium ethylene diamine tetraacetate			No data available					
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine			No data available					
sodium xylene sulphonate	Oral		No data available	Rat	OECD 453 (EU B.33)	24 month(s)	No adverse effects observed	
sodium hydroxide			No data available					

## STOT-single exposure

Ingredient(s)	Affected organ(s)
tetrasodium ethylene diamine tetraacetate	No data available
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	Not applicable
sodium xylene sulphonate	No data available
sodium hydroxide	No data available

## STOT-repeated exposure

Ingredient(s)	Affected organ(s)
tetrasodium ethylene diamine tetraacetate	Respiratory tract
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	Kidneys
sodium xylene sulphonate	No data available
sodium hydroxide	No data available

## Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

## Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

## 11.2 Information on other hazards

## 11.2.1 Endocrine disrupting properties

Endocrine disrupting properties - Human data, if available:

## 11.2.2 Other information

No other relevant information available.

## SECTION 12: Ecological information

## 12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

## Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
tetrasodium ethylene diamine tetraacetate	LC <sub>50</sub>	> 100	<i>Lepomis macrochirus</i>	OPP 72-1, static (EPA)	96
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	LC <sub>50</sub>	0.1	Fish	OECD 203 (EU C.1)	96
sodium xylene sulphonate	LC <sub>50</sub>	> 1000	<i>Oncorhynchus mykiss</i>	Method not given	96
sodium hydroxide	LC <sub>50</sub>	35	Various species	Method not given	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
tetrasodium ethylene diamine tetraacetate	EC <sub>50</sub>	140	<i>Daphnia magna Straus</i>	DIN 38412, Part 11	48
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	EC <sub>50</sub>	0.073	<i>Daphnia magna Straus</i>	OECD 202 (EU C.2)	48
sodium xylene sulphonate	EC <sub>50</sub>	> 1000	<i>Daphnia</i>	Method not given	48
sodium hydroxide	EC <sub>50</sub>	40.4	<i>Ceriodaphnia sp.</i>	Method not given	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
tetrasodium ethylene diamine tetraacetate	EC <sub>50</sub>	> 100	<i>Scenedesmus obliquus</i>	88/302/EEC, Part C, static	72
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	E <sub>r</sub> C <sub>50</sub>	0.054	<i>Pseudokirchneriella subcapitata</i>	OECD 201 (EU C.3)	96
sodium xylene sulphonate	EC <sub>50</sub>	> 230	Not specified	EPA OPPTS 850.5400	96
sodium hydroxide	EC <sub>50</sub>	22	<i>Photobacterium phosphoreum</i>	Method not given	0.25

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
tetrasodium ethylene diamine tetraacetate		No data available			
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine		No data available			
sodium xylene sulphonate		No data available			
sodium hydroxide		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
tetrasodium ethylene diamine tetraacetate	EC <sub>20</sub>	> 500	Activated sludge	OECD 209	0.5 hour(s)
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	EC <sub>50</sub>	18	Activated sludge	OECD 209	3 hour(s)
sodium xylene sulphonate	E <sub>r</sub> C <sub>50</sub>	> 1000	Activated sludge	OECD 209	3 hour(s)
sodium hydroxide		No data available			

## Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
tetrasodium ethylene diamine tetraacetate	NOEC	> 25.7	<i>Brachydanio rerio</i>	OECD 210	35 day(s)	
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine		No data available				
sodium xylene sulphonate		No data available				

## Divosan SaniSigma VS69

sodium hydroxide		No data available				
------------------	--	-------------------	--	--	--	--

## Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
tetrasodium ethylene diamine tetraacetate	NOEC	25	<i>Daphnia magna</i>	OECD 211	21 day(s)	
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	NOEC	0.024	<i>Daphnia magna</i>	OECD 211	21 day(s)	
sodium xylene sulphonate		No data available				
sodium hydroxide		No data available				

## Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
tetrasodium ethylene diamine tetraacetate		No data available				
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine		No data available				
sodium xylene sulphonate		No data available				
sodium hydroxide		No data available				

## Terrestrial toxicity

## Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
tetrasodium ethylene diamine tetraacetate	LD <sub>50</sub>	156	<i>Eisenia fetida</i>	OECD 207	14	
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	LD <sub>50</sub>	> 1000	<i>Eisenia fetida</i>	OECD 207	14	
sodium hydroxide		No data available				

## Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
tetrasodium ethylene diamine tetraacetate	NOEC	0.25 - 1.25			21	
sodium hydroxide		No data available				

## Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available				

## Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available				

## Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	NOEC	1000			28	
sodium hydroxide		No data available				

## 12.2 Persistence and degradability

## Abiotic degradation

## Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
tetrasodium ethylene diamine tetraacetate	No data available			
sodium hydroxide	13 second(s)	Method not given	Rapidly photodegradable	

## Divosan SaniSigma VS69

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
tetrasodium ethylene diamine tetraacetate	No data available			
sodium hydroxide	No data available			

Abiotic degradation - other processes, if available:

Ingredient(s)	Type	Half-life time	Method	Evaluation	Remark
tetrasodium ethylene diamine tetraacetate		No data available			
sodium hydroxide		No data available			

**Biodegradation**

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT <sub>50</sub>	Method	Evaluation
tetrasodium ethylene diamine tetraacetate					Not readily biodegradable.
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine		Oxygen depletion	79 % in 28 day(s)	OECD 301D	Readily biodegradable
sodium xylene sulphonate	Activated sludge, aerobe	CO <sub>2</sub> production	99.8 % in 28 day(s)	OECD 301B	Readily biodegradable
sodium hydroxide					Not applicable (inorganic substance)

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT <sub>50</sub>	Method	Evaluation
tetrasodium ethylene diamine tetraacetate					No data available
sodium hydroxide					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT <sub>50</sub>	Method	Evaluation
tetrasodium ethylene diamine tetraacetate					No data available
sodium hydroxide					No data available

**12.3 Bioaccumulative potential**

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
tetrasodium ethylene diamine tetraacetate	-13	Method not given	No bioaccumulation expected	
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	-0.66		No bioaccumulation expected	
sodium xylene sulphonate	-3.12	Method not given	No bioaccumulation expected	
sodium hydroxide	No data available		Not relevant, does not bioaccumulate	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
tetrasodium ethylene diamine tetraacetate	1.8	<i>Lepomis macrochirus</i>	Method not given	Low potential for bioaccumulation	
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	No data available				
sodium xylene sulphonate	No data available				
sodium hydroxide	No data available				

**12.4 Mobility in soil**

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log K <sub>oc</sub>	Desorption coefficient Log K <sub>oc</sub> (des)	Method	Soil/sediment type	Evaluation
tetrasodium ethylene diamine tetraacetate	No data available				Adsorption to solid soil phase is not expected
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	No data available				
sodium xylene sulphonate	No data available				
sodium hydroxide	No data available				Mobile in soil

**12.5 Results of PBT and vPvB assessment**

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

## Divosan SaniSigma VS69

**12.6 Endocrine disrupting properties**

Endocrine disrupting properties - Environmental effects, if available:

**12.7 Other adverse effects**

No other adverse effects known.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Waste from residues / unused products:**

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

**European Waste Catalogue:**

20 01 15\* - alkalines.

**Empty packaging****Recommendation:**

Dispose of observing national or local regulations.

**Suitable cleaning agents:**

Water, if necessary with cleaning agent.

**SECTION 14: Transport information****Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)****14.1 UN number:** 1760**14.2 UN proper shipping name:**

Corrosive liquid, n.o.s. ( N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine , sodium hydroxide )

**14.3 Transport hazard class(es):**

Transport hazard class (and subsidiary risks): 8

**14.4 Packing group:** II**14.5 Environmental hazards:**

Environmentally hazardous: Yes

Marine pollutant: Yes

**14.6 Special precautions for user:** None known.**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code:** The product is not transported in bulk tankers.**Other relevant information:****ADR**

Classification code: C9

Tunnel restriction code: E

Hazard identification number: 80

**IMO/IMDG**

EmS: F-A, S-B

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code. Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations :**

- Regulation (EC) 1907/2006 - REACH (UK amended)
- Regulation (EC) 1272/2008 - CLP (UK amended)
- Regulation (EC) 648/2004 - Detergents regulation (UK amended)
- Biocidal Products Regulations 2001 (SI 2001/880)
- Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

**Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII):** Not applicable.**Ingredients according to Detergents Regulation**

EDTA and salts thereof

5 - 15 %

## Divosan SaniSigma VS69

anionic surfactants, NTA (nitrilotriacetic acid) and salts thereof  
Laurylamine Dipropylenediamine

< 5 %

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents (UK amended). Data to support this assertion are held at the disposal of the competent authorities of the UK and will be made available to them, at their direct request or at the request of a detergent manufacturer.

**Comah - classification:** E1 - Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1

### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

## SECTION 16: Other information

*The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract*

**SDS code:** MS1004204

**Version:** 01.1

**Revision:** 2021-12-26

### Reason for revision:

Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006, This data sheet contains changes from the previous version in section(s):, 1, 3, 5, 6, 7, 8, 9, 16

### Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

### Full text of the H and EUH phrases mentioned in section 3:

- H290 - May be corrosive to metals.
- H301 - Toxic if swallowed.
- H302 - Harmful if swallowed.
- H314 - Causes severe skin burns and eye damage.
- H318 - Causes serious eye damage.
- H319 - Causes serious eye irritation.
- H332 - Harmful if inhaled.
- H373 - May cause damage to organs through prolonged or repeated exposure.
- H400 - Very toxic to aquatic life.
- H410 - Very toxic to aquatic life with long lasting effects.

### Abbreviations and acronyms:

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- ATE - Acute Toxicity Estimate
- DNEL - Derived No Effect Limit
- EC50 - effective concentration, 50%
- ERC - Environmental release categories
- EUH - CLP Specific hazard statement
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LCS - Life cycle stage
- LD50 - Lethal Dose, 50% / Median Lethal dose
- NOAEL - No observed adverse effect level
- NOEL - No observed effect level
- OECD - Organization for Economic Cooperation and Development
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- PROC - Process categories
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative

**End of Safety Data Sheet**