

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Scott® Control™ Alcohol Foam Hand Sanitiser

Version	Revision Date:	SDS Number:	Date of last issue: 23.12.2022
0.0	00.00.0000	100000047716	Date of first issue: 26.07.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	:	Scott® Control™ Alcohol Foam Hand Sanitiser
Product code	:	6392, 6393
UFI	:	CTY3-G3HA-E00Q-AH7W

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture	:	Hand Sanitizer, Biocidal product
Recommended restrictions on use	:	For professional users only.

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Kimberly-Clark Europe Limited
Address	:	Walton Oaks, Dorking Road Tadworth Surrey KT20 7NS United Kingdom
Telephone	:	+44 1737 736000
E-mail address of person responsible for the SDS	:	sdscontact@kcc.com

1.4 Emergency telephone number

Emergency telephone number	:	+44 1235 239670 (24/7 Service)
Poison Center Name	:	NHS 111
Poison Center Telephone	:	111

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 2	H225: Highly flammable liquid and vapour.
Eye irritation, Category 2	H319: Causes serious eye irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Scott® Control™ Alcohol Foam Hand Sanitiser

Version 0.0 Revision Date: 00.00.0000 SDS Number: 100000047716 Date of last issue: 23.12.2022
Date of first issue: 26.07.2022

Hazard pictograms

:



Signal word

:

Danger

Hazard statements

:

H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.

Precautionary statements

:

Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 Keep container tightly closed.

Response:

P337 + P313 If eye irritation persists: Get medical advice/attention.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Ethanol	64-17-5 200-578-6	Flam. Liq. 2; H225 Eye Irrit. 2; H319	>= 70 - < 90

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Scott® Control™ Alcohol Foam Hand Sanitiser

Version 0.0 Revision Date: 00.00.0000 SDS Number: 100000047716 Date of last issue: 23.12.2022
Date of first issue: 26.07.2022

	603-002-00-5		
propan-2-ol	67-63-0 200-661-7 603-117-00-0	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336	$\geq 1 - < 10$

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : Not required under normal use.
- In case of skin contact : No hazards which require special first aid measures.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
If eye irritation persists, consult a specialist.
- If swallowed : DO NOT induce vomiting unless directed to do so by a physician or poison control center.

4.2 Most important symptoms and effects, both acute and delayed

- Risks : Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : No hazards which require special first aid measures.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

5.3 Advice for firefighters

- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.
- Further information : Standard procedure for chemical fires.
Use extinguishing measures that are appropriate to local cir-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Scott® Control™ Alcohol Foam Hand Sanitiser

Version	Revision Date:	SDS Number:	Date of last issue: 23.12.2022
0.0	00.00.0000	100000047716	Date of first issue: 26.07.2022

cumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Not required under normal use.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.
Advice on protection against fire and explosion : Keep away from open flames, hot surfaces and sources of ignition.
Hygiene measures : General industrial hygiene practice.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place.
Further information on storage stability : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Biocidal product

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Ethanol	64-17-5	TWA	1,000 ppm	GB EH40

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Scott® Control™ Alcohol Foam Hand Sanitiser

Version 0.0 Revision Date: 00.00.0000 SDS Number: 100000047716 Date of last issue: 23.12.2022
Date of first issue: 26.07.2022

			1,920 mg/m3	
	Further information: Where no specific short-term exposure limit is listed, a figure three times the long-term exposure limit should be used.			
propan-2-ol	ISOPROPYL ALCOHOL	TWA	400 ppm 999 mg/m3	GB EH40
		STEL	500 ppm 1,250 mg/m3	GB EH40

8.2 Exposure controls

Personal protective equipment

Eye protection : Avoid contact with eyes.

Hand protection

Remarks : Not required under normal use
Skin and body protection : Not required under normal use.
Respiratory protection : Not required under normal use.
Protective measures : No special protective equipment required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid
Colour : transparent
Odour : alcohol-like
Melting point/freezing point : No information available.

Boiling point/boiling range : No information available.

Flash point : < 20 °C

Auto-ignition temperature : No data available

pH : 6.5 - 7.5

Solubility(ies)
Water solubility : partly miscible

Partition coefficient: n-octanol/water : No information available.
Vapour pressure : No information available.

Relative density : No information available.

Density : 0.86 g/cm3 (25 °C)

Relative vapour density : No data available

Particle characteristics
Particle size : No data available

9.2 Other information

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Scott® Control™ Alcohol Foam Hand Sanitiser

Version	Revision Date:	SDS Number:	Date of last issue: 23.12.2022
0.0	00.00.0000	100000047716	Date of first issue: 26.07.2022

Evaporation rate : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No data available

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Components:

Ethanol:

Acute oral toxicity : LD50 (Rat, male and female): 10,470 mg/kg
Method: OECD Test Guideline 401
GLP: no

LD50 Oral (Rat): 7,060 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): 124.7 mg/l
Test atmosphere: vapour
Method: OECD Test Guideline 403
GLP: no

propan-2-ol:

Acute oral toxicity : LD50 Oral (Rat): 5,840 mg/kg
Method: OECD Test Guideline 401
GLP: no
Remarks: See User Free Text

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Scott® Control™ Alcohol Foam Hand Sanitiser

Version	Revision Date:	SDS Number:	Date of last issue: 23.12.2022
0.0	00.00.0000	100000047716	Date of first issue: 26.07.2022

LD50 Oral (Rat): 1,870 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 10000 ppm
Exposure time: 6 h
Test atmosphere: vapour
Method: OECD Test Guideline 403
GLP: yes

LC50 (Rat): 72,600 mg/m3
Exposure time: 4 h

Acute dermal toxicity : LD50 Dermal (Rabbit): 12,800 mg/kg
Method: OECD Test Guideline 402
GLP: no
Remarks: See User Free Text

LD50 Dermal (Rabbit): 4,059 mg/kg

Skin corrosion/irritation

Product:

Remarks : May cause skin irritation in susceptible persons.

Components:

Ethanol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
GLP : yes

propan-2-ol:

Species : Rabbit
Exposure time : 4 hrs
Method : No information available.
Result : No skin irritation
GLP : no
Remarks : See User Free Text

Serious eye damage/eye irritation

Product:

Remarks : May cause irreversible eye damage.

Components:

Ethanol:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Irritation to eyes, reversing within 21 days
GLP : no

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Scott® Control™ Alcohol Foam Hand Sanitiser

Version	Revision Date:	SDS Number:	Date of last issue: 23.12.2022
0.0	00.00.0000	100000047716	Date of first issue: 26.07.2022

propan-2-ol:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Irritating to eyes.
GLP	:	no

Respiratory or skin sensitisation

Components:

Ethanol:

Species	:	Mouse
Assessment	:	Does not cause skin sensitisation.
Method	:	OECD Test Guideline 429
Result	:	Did not cause sensitisation on laboratory animals.
GLP	:	no

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
------------	---	---

Further information

Product:

Remarks	:	Solvents may degrease the skin.
---------	---	---------------------------------

SECTION 12: Ecological information

12.1 Toxicity

Components:

Ethanol:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Test Type: static test
		LC50 (Pimephales promelas (fathead minnow)): 13,400 - 15,100 mg/l Exposure time: 96 h Test Type: flow-through test

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Scott® Control™ Alcohol Foam Hand Sanitiser

Version	Revision Date:	SDS Number:	Date of last issue: 23.12.2022
0.0	00.00.0000	100000047716	Date of first issue: 26.07.2022

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 5,012 mg/l
Exposure time: 48 h
Test Type: static test

LC50 (Daphnia magna (Water flea)): 9,268 - 14,221 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 275 mg/l
Exposure time: 72 h
Test Type: static test

propan-2-ol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 9,640 mg/l
End point: mortality
Exposure time: 96 h
Test Type: flow-through test
Analytical monitoring: yes
Method: OECD Test Guideline 203
GLP: no

LC50 (Pimephales promelas (fathead minnow)): 10,000 mg/l
End point: mortality
Exposure time: 96 h
Test Type: flow-through test
Analytical monitoring: yes
Method: OECD Test Guideline 203
GLP: no

LC50 (Pimephales promelas (fathead minnow)): 9,640 mg/l
Exposure time: 96 h
Test Type: flow-through test

LC50 (Pimephales promelas (fathead minnow)): 11,130 mg/l
Exposure time: 96 h
Test Type: static test

LC50 (Lepomis macrochirus (Bluegill sunfish)): > 1,400,000 µg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 9,714 mg/l
Exposure time: 24 h
Test Type: static test
Method: OECD Test Guideline 202
GLP: no

EC50 (Daphnia magna (Water flea)): 13,299 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC10 (Scenedesmus quadricauda (Green algae)): 1,800 mg/l
End point: See User Free Text
Exposure time: 168 h

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Scott® Control™ Alcohol Foam Hand Sanitiser

Version	Revision Date:	SDS Number:	Date of last issue: 23.12.2022
0.0	00.00.0000	100000047716	Date of first issue: 26.07.2022

Test Type: static test
Analytical monitoring: no
Method: See User Free Text
GLP: no

EC50 (Desmodesmus subspicatus (green algae)): > 1,000 mg/l
Exposure time: 96 h

EC50 (Desmodesmus subspicatus (green algae)): > 1,000 mg/l
Exposure time: 72 h

12.2 Persistence and degradability

Components:

Ethanol:

Biodegradability : Test Type: aerobic
Inoculum: activated sludge
Biodegradation: 97 %
Exposure time: 28 d
Remarks: Readily biodegradable, according to appropriate OECD test.

propan-2-ol:

Biodegradability : Test Type: aerobic
Inoculum: activated sludge, adapted
Biodegradation: 53 %
Related to: Chemical oxygen demand
Exposure time: 5 d
Remarks: Readily biodegradable, according to appropriate OECD test.

12.3 Bioaccumulative potential

Components:

Ethanol:

Bioaccumulation : Bioconcentration factor (BCF): 0.66
Remarks: No bioaccumulation is to be expected (log Pow <= 4).

propan-2-ol:

Bioaccumulation : Remarks: No bioaccumulation is to be expected (log Pow <= 4).

12.4 Mobility in soil

Components:

Ethanol:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Scott® Control™ Alcohol Foam Hand Sanitiser

Version	Revision Date:	SDS Number:	Date of last issue: 23.12.2022
0.0	00.00.0000	100000047716	Date of first issue: 26.07.2022

Stability in soil : Remarks: Not expected to adsorb on soil.

propan-2-ol:

Stability in soil : Remarks: Adsorbs on soil.

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

Components:

Ethanol:

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB)..

propan-2-ol:

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB)..

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological information : No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not dispose of waste into sewer.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Scott® Control™ Alcohol Foam Hand Sanitiser

Version	Revision Date:	SDS Number:	Date of last issue: 23.12.2022
0.0	00.00.0000	100000047716	Date of first issue: 26.07.2022

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.

SECTION 14: Transport information

14.1 UN number or ID number

ADR	: UN 1987
IMDG	: UN 1987
IATA (Cargo)	: UN 1987

14.2 UN proper shipping name

ADR	: ALCOHOLS, N.O.S. (Ethanol, Isopropanol)
IMDG	: ALCOHOLS, N.O.S. (Ethanol, Isopropanol)
IATA (Cargo)	: Alcohols, n.o.s. (Ethanol, Isopropanol)

14.3 Transport hazard class(es)

ADR	: 3
IMDG	: 3
IATA (Cargo)	: 3

14.4 Packing group

ADR	
Packing group	: III
Classification Code	: F1
Hazard Identification Number	: 30
Labels	: 3
Tunnel restriction code	: (D/E)
IMDG	
Packing group	: III
Labels	: 3
EmS Code	: F-E, S-D
IATA (Cargo)	
Packing instruction (cargo aircraft)	: 366
Packing instruction (LQ)	: Y344
Packing group	: III
Labels	: Class 3 - Flammable liquids

14.5 Environmental hazards

ADR	
Environmentally hazardous	: no
IMDG	

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Scott® Control™ Alcohol Foam Hand Sanitiser

Version	Revision Date:	SDS Number:	Date of last issue: 23.12.2022
0.0	00.00.0000	100000047716	Date of first issue: 26.07.2022

Marine pollutant : no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	: Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	: Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	: Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	: Not applicable

15.2 Chemical safety assessment

SECTION 16: Other information

Full text of H-Statements

H225	: Highly flammable liquid and vapour.
H319	: Causes serious eye irritation.
H336	: May cause drowsiness or dizziness.

Full text of other abbreviations

Eye Irrit.	: Eye irritation
Flam. Liq.	: Flammable liquids
STOT SE	: Specific target organ toxicity - single exposure
GB EH40	: UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA	: Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL	: Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - In-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



Scott® Control™ Alcohol Foam Hand Sanitiser

Version	Revision Date:	SDS Number:	Date of last issue: 23.12.2022
0.0	00.00.0000	100000047716	Date of first issue: 26.07.2022

ternational Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Flam. Liq. 2	H225
Eye Irrit. 2	H319

Classification procedure:

Based on product data or assessment
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN