

SAFETY DATA SHEET Oxi Active

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Oxi Active

Internal identification F1V1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Removing stains from fabrics and various hard surfaces.

1.3. Details of the supplier of the safety data sheet

Supplier The London Oil Refining Company Ltd

Astonish House Unit 1 Premier Point Staithgate Lane Bradford BD6 1DW

(01274) 767440 (office hours only)

www.astonishcleaners.com

(01274) 726285

Contact person info@astonish.co.uk

Manufacturer As supplier.

1.4. Emergency telephone number

Emergency telephone (01274) 767440 (office hours only)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification

Physical hazards Not Classified

Health hazards Eye Dam. 1 - H318

Environmental hazards Not Classified

2.2. Label elements

Pictogram



Signal word Danger

Hazard statements H318 Causes serious eye damage.

Oxi Active

Precautionary statements P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children and pets.

P103 Read label before use.

P280 Wear eye and face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

Contains Sodium carbonate peroxyhydrate

Detergent labelling ≥ 30% oxygen-based bleaching agents

2.3. Other hazards

This substance is not classified as PBT or vPvB according to current EU criteria.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Sodium carbonate peroxyhydrate 30-40%

CAS number: 15630-89-4 EC number: 239-707-6 REACH registration number: 01-

2119457268-30-0000

Classification Classification (67/548/EEC or 1999/45/EC)

Ox. Sol. 3 - H272 O; R8. Xn; R22. Xi; R41

Acute Tox. 4 - H302 Eye Dam. 1 - H318

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Move to fresh air. If symptoms persist, call a physician.

Ingestion Rinse mouth with water. Do NOT induce vomiting. Oxygen or artificial respiration if needed. If

symptoms persist, call a physican or Poison Control Centre immediately.

Skin contact Remove and wash contaminated clothing before re-use. Wash off with soap and water. If

symptoms persist, call a physician.

Eye contact Call a physician or poison control centre immediately. In case of eye contact, remove contact

lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In case of difficulty of opening the lids, administer an analgesic eye wash (oxybuprocaine).

4.2. Most important symptoms and effects, both acute and delayed

Inhalation May cause nose, throat, and lung irritation.

Ingestion Severe irritation. Symptoms: Nausea, Abdominal pain, Vomiting, Diarrhoea

Skin contact Prolonged skin contact may cause skin irritation.

Eye contact Severe eye irritation. Risk of serious damage to eyes. Symptoms: Redness, Lachrymation,

Swelling of tissue.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor

No data available

Specific treatments

No data available.

Oxi Active

SECTION 5: Firefighting measures

5.1. Extinguishing media

5.2. Special hazards arising from the substance or mixture

Specific hazards Oxygen released in thermal decomposition may support combustion.

5.3. Advice for firefighters

Protective actions during

firefighting

Use protection suitable to cause of fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin and eyes. Avoid generation of dust. Keep away from incompatible

products.

6.2. Environmental precautions

Environmental precautions Product is intended to be rinsed away to sewer after use. For bigger spillages non-household

spillages prevent entry into sewer or drains.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Absorb household spillages with e.g kitchen roll and dispose of in bin. Wipe affected area

clean with a damp cloth.

6.4. Reference to other sections

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautionsUse as instructed on label. Avoid contact with eyes. Avoid dust formation. Ensure adequate

ventilation. Keep away from heat and sources of ignition. Keep away from incompatible products. Use only clean and dry utensils. Never return unused material to storage receptacle.

Keep away from water.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep out of the reach of children. Keep container tightly closed. Keep away from heat. Keep

at temperature not exceeding 40°C. Store in a dry place. Keep container in a well-ventilated place. Keep only in the original container. Keep away from incompatible products. Keep away

from heat/sparks/open flames/hot surfaces - no smoking.

7.3. Specific end use(s)

Specific end use(s) Removing stains from fabrics and various hard surfaces.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

Sodium carbonate peroxyhydrate

Long-term exposure limit (8-hour TWA): 5 mg/m³

Sodium carbonate peroxyhydrate (CAS: 15630-89-4)

PNEC - Fresh water; 35 μg/l

8.2. Exposure controls

Oxi Active

Personal protection Wear protective gloves and safety eye wear.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance White granules

Colour White.

Odour Odourless

pH (diluted solution): 10 - 11 (1% aqueous)

Initial boiling point and range Not applicable.

Flash point Not applicable.

Evaporation rate Not applicable.

Flammability (solid, gas) Does not ignite.

Vapour pressure Not available.

Vapour density Not available.

Bulk density 1.25-1.30 g/ml

Solubility(ies) Decomposes in water.

Viscosity Not applicable.

Oxidising properties Not oxidising (Method A17)

9.2. Other information

Other information Self-accelerating decomposition temperature (SADT) >55C

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Reacts with water, bases, heavy metal salts, reducing agents and organic materials.

Decomposes when moist. Decomposes on heating. Potential for exothermic hazard.

10.2. Chemical stability

Stability Potential for exothermic hazard. Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous

Reacts with water, bases, heavy metal salts, reducing agents and organic materials, Oxygen

is released in thermal decomposition may support combustion.

10.4. Conditions to avoid

Conditions to avoid Exposure to moisture, heat, direct sunlight, flames and other sources of ignition.

10.5. Incompatible materials

Materials to avoid Avoid water, bases, heavy metal salts, reducing agents, organic materials, flammable

materials and combustible materials.

10.6. Hazardous decomposition products

Hazardous decomposition

Oxygen.

products

reactions

SECTION 11: Toxicological information

Oxi Active

11.1. Information on toxicological effects

Acute toxicity - oral

ATE oral (mg/kg) 2,954.29

Inhalation Dust may irritate respiratory system or lungs.

Ingestion May cause discomfort if swallowed.

Skin contact Prolonged and frequent contact may cause redness and irritation.

Eye contact Risk of serious damage to eyes.

Toxicological information on ingredients.

Sodium carbonate peroxyhydrate

Acute toxicity - oral

Acute toxicity oral (LD₅₀ 1,034.0

mg/kg)

Species Rat

ATE oral (mg/kg) 1,034.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ 2,000.0

mg/kg)

Species Rabbit

SECTION 12: Ecological Information

12.1. Toxicity

Toxicity The mixture has not been tested. Based on the avaliable data of the ingredients the

classification criteria are not met.

Ecological information on ingredients.

Sodium carbonate peroxyhydrate

Acute toxicity - fish NOEC, 96 hours: 7.4 mg/l, Pimephales promelas

 $LC_{50},\ hours:\ mg/I,$ Pimephales promelas

Acute toxicity - aquatic NOEC, 48 hours: 2 mg/l, Daphnia pulex

invertebrates EC₅₀, : 4.9 mg/l, Daphnia pulex

12.2. Persistence and degradability

Persistence and degradability The product is degraded completely by hydrolysis.

12.3. Bioaccumulative potential

Bioaccumulative potentialNo bio-accumulative potential noted for any component.

12.4. Mobility in soil

Mobility No concerns- the product will dissociate into naturally occuring ions whose levels are

regulated by living organisms.

12.5. Results of PBT and vPvB assessment

Oxi Active

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Dispose of according to local regulations. Avoid disposing into drainage systems and into the

environment. Dispose of contaminated packaging in the same way as the product itself. Non-

contaminated packages may be recycled.

SECTION 14: Transport information

General Not regulated.

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

Not regulated.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical safety assessment

SECTION 16: Other information

Issued by The London Oil Refining Company Ltd

Revision date 19/10/2015

Revision 1

SDS number 5081

Oxi Active

Risk phrases in full R8 Contact with combustible material may cause fire.

R22 Harmful if swallowed.

R41 Risk of serious damage to eyes.

Hazard statements in full H272 May intensify fire; oxidiser.

H302 Harmful if swallowed.

H318 Causes serious eye damage.