

Version	Revision Date:	MSDS Number:	Date of last issue: 10.02.2015
1.4	02.06.2015	31407-00005	Date of first issue: 24.11.2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

- Trade name : GC
 - : GOJO® Luxury Foam Handwash

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- stance/Mixture	Skin-care	
Recommended restrictions on use	This is a personal care or cosmetic product that consumers and other users under normal and foreseeable use. Cosmetics and consumer pro- cally defined by regulations around the world, at the requirement of an SDS for the consumer. We rial is not considered hazardous, this SDS contri- information critical to the safe handling and pro- product for industrial workplace conditions as we and unintended exposures such as large spills should be retained and available for employees users of this product. For specific intended-use please refer to the information provided on the instruction sheet.	reasonably ducts, specifi- are exempt from While this mate- ains valuable per use of the vell as unusual This SDS and other guidance,

1.3 Details of the supplier of the safety data sheet

Company	: GOJO Industries-Europe Ltd. Units 5 & 6, Stratus Park MK10 0DE Brinklow, Milton Keynes
Telephone	: +44(0) 1908588444
Telefax	: +44(0) 1908588445
E-mail address of person responsible for the SDS	: infoUK@gojo.com

1.4 Emergency telephone number

+44(0) 8445605135

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2

H319: Causes serious eye irritation.

Classification (67/548/EEC, 1999/45/EC)

Irritant

R36: Irritating to eyes.



Version	Revision Date:	MSDS Number:	Date of last issue: 10.02.2015	
1.4	02.06.2015	31407-00005	Date of first issue: 24.11.2014	
2.2 Label e	elements			

Labelling (REGULATION (Hazard pictograms	EC) No 1272	2008)
Signal word	: Warnin	
Hazard statements	: H319	Causes serious eye irritation.
Precautionary statements	: Preven P264 P280 Respo P337 +	Wash skin thoroughly after handling. Wear eye protection/ face protection.

Additional Labelling:

EUH208	Contains 5-Chloro-2-methyl-4-isothiazolin-3-one. May produce an allergic reac-
	tion.

2.3 Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)	Concentration (%)
Alcohols, C10-16, ethoxylated, sulfates, sodium salts	68585-34-2 500-223-8	Xi; R38 Xi; R41	Skin Irrit. 2; H315 Eye Dam. 1; H318	>= 1 - < 3
Cocoamidopropyl betaine	61789-40-0 263-058-8	Xi; R41	Eye Dam. 1; H318	>= 1 - < 3
5-Chloro-2-methyl-4- isothiazolin-3-one	26172-55-4 247-500-7	T; R23/24/25 C; R34 R43 N; R50/53	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Corr. 1B; H314 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1;	< 0.0012



Version 1.4				Date of last issue: 10.02.2015 Date of first issue: 24.11.2014	
			H410		
For	explanation of abbreviat	ions see section 16			
SECTIO	ON 4: First aid measu	ires			
4.1 Des	cription of first aid mea	sures			
Ge	neral advice	vice immedia	f accident or if you feel unwell, tely. oms persist or in all cases of do		
Pro	etection of first-aiders	and use the	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists.		
lf ir	haled		nove to fresh air. attention if symptoms occur.		
In c	case of skin contact		ater and soap as a precaution. attention if symptoms occur.		
In c	case of eye contact	for at least 15	remove contact lens, if worn.	ith plenty of water	
lf s	wallowed	Get medical	DO NOT induce vomiting. attention if symptoms occur. thoroughly with water.		
4.2 Mos	at important symptoms	and effects, both a	cute and delayed		
Ris	ks	: Causes serio	us eye irritation.		
				_	

4.3 Indication of any immediate medical attention and special treatment needed Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1	Extinguishing media		
	Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
	Unsuitable extinguishing media	:	None known.



Versic 1.4	on Revision Date: 02.06.2015	MSDS Number: 31407-00005	Date of last issue: 10.02.2015 Date of first issue: 24.11.2014
5.2 Sp	pecial hazards arising from	the substance or i	mixture
	Specific hazards during fire- ghting	: Exposure to co	mbustion products may be a hazard to health.
Hazardous combustion prod- ucts		: Sulphur oxides Carbon oxides Metal oxides Nitrogen oxides	
5.3 Ac	dvice for firefighters		
	Special protective equipment or firefighters		fire, wear self-contained breathing apparatus. rotective equipment.
	Specific extinguishing meth- ds	cumstances an Use water spra	ing measures that are appropriate to local cir- d the surrounding environment. y to cool unopened containers. naged containers from fire area if it is safe to do

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Use personal protective equipment. Follow safe handling advice and personal protective equip- ment recommendations.
6.2 Environmental precautions	
Environmental precautions	 Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	: Soak up with inert absorbent material. For large spills, provide dyking or other appropriate contain- ment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor- bent.
	Local or national regulations may apply to releases and dis- posal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter- mine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.



Version	Revision Date:	MSDS Number:	Date of last issue: 10.02.2015
1.4	02.06.2015	31407-00005	Date of first issue: 24.11.2014

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section. Local/Total ventilation : Use only with adequate ventilation. Advice on safe handling : Avoid inhalation of vapour or mist. Do not swallow. Do not get in eyes. Avoid prolonged or repeated contact with skin. Handle in accordance with good industrial hygiene and safety practice. Take care to prevent spills, waste and minimize release to the environment. Hygiene measures : Ensure that eye flushing systems and safety showers are located close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. 7.2 Conditions for safe storage, including any incompatibilities Requirements for storage Keep in properly labelled containers. Store in accordance with : the particular national regulations. areas and containers Advice on common storage : Do not store with the following product types: Strong oxidizing agents 7.3 Specific end use(s) Specific use(s) : No data available No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.

Personal protective equipment



Version 1.4	Revision Date: 02.06.2015	MSDS Number: 31407-00005	Date of last issue: 10.02.2015 Date of first issue: 24.11.2014		
Eye protection			: Wear the following personal protective equipment: Safety goggles		
Hand protection Material		: Impervious glo	: Impervious gloves		
Remarks		on the concen stance and sp determined fo applications, v chemicals of t glove manufac	Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous sub- stance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.		
Skin and body protection		sistance data tial. Skin contact n	riate protective clothing based on chemical re- and an assessment of the local exposure poten- nust be avoided by using impervious protective es, aprons, boots, etc).		
Respiratory protection		: No personal re quired.	espiratory protective equipment normally re-		

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	: liquid
Colour	: clear, light pink
Odour	: like fruit
Odour Threshold	: No data available
рН	: 4.7 - 6.2
Melting point/freezing point	: No data available
Solidification / Setting point	2.40 °C
Initial boiling point and boiling range	: 98.00 °C
Flash point	: >100 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Upper explosion limit	: No data available



Versio 1.4	on	Revision Date: 02.06.2015		DS Number: 07-00005	Date of last issue: 10.02.2015 Date of first issue: 24.11.2014
L	ower e	explosion limit	:	No data available	9
V	/apour	pressure	:	No data available)
R	Relative	e vapour density	:	No data available)
D	Density	,	:	1.00 g/cm3	
S	Solubili Wate	ty(ies) er solubility	:	soluble	
	Partitio octanol	n coefficient: n- /water	:	Not applicable	
А	Auto-ig	nition temperature	:	No data available)
D	Decom	position temperature	:	The substance of	r mixture is not classified self-reactive.
V	/iscosi Visco	ty osity, kinematic	:	10 - 20 mm2/s (2	0 °C)
E	Explosi	ve properties	:	Not explosive	
C	Dxidizir	ng properties	:	The substance of	r mixture is not classified as oxidizing.
0.0.04	4 1	formation			

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions Hazardous reactions : Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid	: None known.

10.5 Incompatible materials

Materials to avoid	: Oxidizing agents
--------------------	--------------------



Version	Revision Date:	MSDS Number:	Date of last issue: 10.02.2015
1.4	02.06.2015	31407-00005	Date of first issue: 24.11.2014

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

Information on likely routes of exposure	: Inhalation Skin contact Ingestion Eye contact
Acute toxicity	
Not classified based on availa	ble information.
Components:	
Alcohols, C10-16, ethoxylate Acute oral toxicity	 ed, sulfates, sodium salts: LD50 (Rat): > 2,000 mg/kg Assessment: The substance or mixture has no acute oral to icity
Cocoamidopropyl betaine: Acute oral toxicity	: LD50: > 5,000 mg/kg Method: OECD Test Guideline 401 Remarks: Based on data from similar materials
Acute dermal toxicity	 LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermitoxicity Remarks: Based on data from similar materials
5-Chloro-2-methyl-4-isothia	zolin-3-one:
Acute oral toxicity	: Acute toxicity estimate: 100 mg/kg Method: Expert judgement Remarks: Based on data from similar materials
Acute inhalation toxicity	: LC50 (Rat): 0.33 mg/l Exposure time: 4 h Test atmosphere: dust/mist Remarks: Based on data from similar materials
Acute dermal toxicity	: Acute toxicity estimate: 300 mg/kg Method: Expert judgement Remarks: Based on data from similar materials

Not classified based on available information.

Product:

Result: No skin irritation



Version	Revision Date:	MSDS Number:	Date of last issue: 10.02.2015
1.4	02.06.2015	31407-00005	Date of first issue: 24.11.2014

Components:

Alcohols, C10-16, ethoxylated, sulfates, sodium salts: Result: Skin irritation

5-Chloro-2-methyl-4-isothiazolin-3-one:

Result: Corrosive after 3 minutes to 1 hour of exposure Remarks: Based on data from similar materials

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Result: Irritation to eyes, reversing within 21 days

Components:

Alcohols, C10-16, ethoxylated, sulfates, sodium salts: Result: Irreversible effects on the eye

Cocoamidopropyl betaine:

Species: Rabbit Method: OECD Test Guideline 405 Result: Irreversible effects on the eye Remarks: Based on data from similar materials

5-Chloro-2-methyl-4-isothiazolin-3-one:

Result: Irreversible effects on the eye Remarks: Based on data from similar materials

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Product:

Assessment: Does not cause skin sensitisation.

Components:

Cocoamidopropyl betaine: Test Type: Maximisation Test (GPMT) Exposure routes: Skin contact Species: Guinea pig Result: negative Remarks: Based on data from similar materials

5-Chloro-2-methyl-4-isothiazolin-3-one:

Exposure routes: Skin contact Result: positive Remarks: Based on data from similar materials

Assessment: Probability or evidence of skin sensitisation in humans



Vers 1.4	ion	Revision Date: 02.06.2015		SDS Number: 407-00005	Date of last issue: 10.02.2015 Date of first issue: 24.11.2014
Germ cell mutagenicity Not classified based on availabl		able	information.		
		onents:			
		midopropyl betaine:			
	Genoto	xicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials		est Guideline 471
	Genotoxicity in vivo		:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Result: negative Remarks: Based on data from similar materials	

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

Components:

Cocoamidopropyl betaine: Effects on foetal develop- ment	: Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative
	Remarks: Based on data from similar materials

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Cocoamidopropyl betaine: Species: Rat NOAEL: 250 mg/kg Application Route: Ingestion

Exposure time: 90 d Method: OECD Test Guideline 408 Remarks: Based on data from similar materials

Aspiration toxicity

Not classified based on available information.



Version	Revision Date:	MSDS Number:	Date of last issue: 10.02.2015
1.4	02.06.2015	31407-00005	Date of first issue: 24.11.2014

SECTION 12: Ecological information

12.1 Toxicity

	Components:				
	Cocoamidopropyl betaine: Toxicity to fish	:	LC50 : > 1 - 10 mg/l Exposure time: 96 h Method: ISO 7346/2 Remarks: Based on data from similar materials		
			EC50 : > 100 mg/l Method: OECD Test Guideline 209 Remarks: Based on data from similar materials		
	5-Chloro-2-methyl-4-isothiaz	oli	n-3-one:		
Toxicity to fish : LC50 (Oncorhynchus n Exposure time: 96 h			LC50 (Oncorhynchus mykiss (rainbow trout)): 0.19 mg/l		
	Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.16 mg/l Exposure time: 48 h Remarks: Based on data from similar materials		
	Toxicity to algae	:	EC50 (Selenastrum capricornutum (green algae)): 0.027 mg/l Exposure time: 72 h Remarks: Based on data from similar materials		
M-Factor (Acute aquatic tox- icity)		:	10		
12.2	12.2 Persistence and degradability				
	Product:				
	Biodegradability	:	Result: Biodegradable		
	Components:				
	Alcohols, C10-16, ethoxylate		-		
Biodegradability : Result: Readily biodegradable		Result: Readily biodegradable			
	Cocoamidopropyl betaine:				
	Biodegradability		Result: Readily biodegradable Biodegradation: > 60 % Exposure time: 28 d Method: OECD Test Guideline 301 Remarks: Based on data from similar materials		
	5-Chloro-2-methyl-4-isothiazolin-3-one:				
	Biodegradability		Result: Not readily biodegradable.		



Version	Revision Date:	MSDS Number:	Date of last issue: 10.02.2015
1.4	02.06.2015	31407-00005	Date of first issue: 24.11.2014

12.3 Bioaccumulative potential

Components:

5-Chloro-2-methyl-4-isothiazolin-3-one: Partition coefficient: n- : log Pow: 0.401 octanol/water

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Not relevant

12.6 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.
Contaminated packaging	: Dispose of as unused product. Empty containers should be taken to an approved waste han- dling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

Remarks

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: Not applicable for product as supplied.



Version	Revision Date:	MSDS Number:	Date of last issue: 10.02.2015
1.4	02.06.2015	31407-00005	Date of first issue: 24.11.2014

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mix- ture				
Regulation (EC) No 649/2012 ment and the Council concerni of dangerous chemicals				
REACH - Candidate List of Su Concern for Authorisation (Arti				
Regulation (EC) No 1005/2009 plete the ozone layer	on substances that de- : Not applicable			
Regulation (EC) No 850/2004 lutants	on persistent organic pol- : Not applicable			
	Seveso II - Directive 2003/105/EC amending Council Directive 96/82/EC on the control of major- accident hazards involving dangerous substances Not applicable			
	Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable			
Volatile organic compounds	Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0.00 %			
The components of this product are reported in the following inventories:				
AICS	: All ingredients listed or exempt.			

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Full text of R-Phrases	
R23/24/25	: Toxic by inhalation, in contact with skin and if swallowed.
R34	: Causes burns.
R38	: Irritating to skin.
R41	: Risk of serious damage to eyes.
R43	: May cause sensitisation by skin contact.



Versio 1.4	on	Revision Date: 02.06.2015		SDS Number: 407-00005	Date of last issue: 10.02.2015 Date of first issue: 24.11.2014	
F	R50/53		: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.			
F	Full tex	t of H-Statements				
+ + + + +	H301 H311 H314 H315 H317 H318 H330 H400 H410 Full text of other abbreviatio			 Toxic if swallowed. Toxic in contact with skin. Causes severe skin burns and eye damage. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Fatal if inhaled. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. 		
F			ne			
A A E S S	Acute Tox. Aquatic Acute Aquatic Chronic Eye Dam. Skin Corr. Skin Irrit. Skin Sens.		:	Acute toxicity Acute aquatic toxicity Chronic aquatic toxicity Serious eye damage Skin corrosion Skin irritation Skin sensitisation		
F	Further information Sources of key data used to compile the Safety Data Sheet					
С			:		data, data from raw material SDSs, OECD rch results and European Chemicals Agen- opa.eu/	

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

GB / EN